Module 206C

Peak Discharge, Tabular Method, TR55

Introduction

This training module describes when complex hydrographs are needed. It presents the Tabular Peak Discharge Method (Tabular Method) for computing peak discharges from rural and urban areas by using time of concentration (Tc) and travel time (Tt) from a subarea as inputs. The procedure is found in Chapter 5 of Technical Release 55, Urban Hydrology for Small Watersheds (TR55).

Uses

The Tabular method can be used to develop hydrographs at any point in a watershed by dividing the watershed into homogeneous subareas. Thus, the method can be used to estimate runoff and peak discharges from a nonhomogeneous watershed. By developing hydrographs for each subarea, the effects of the contribution of a subarea can be quantified. The method can be used to estimate the effects of land use change in a portion of a watershed. In addition, it can be used to estimate the effects of proposed structures or channel modifications.

Limitations

In the Tabular Method, the maximum subarea time of concentration is two hours, and the maximum travel time from a subwatershed outlet to downstream estimate point is three hours.

Complex Hydrographs

Complex hydrographs are needed for the following conditions:

- The watershed is not hydrologically homogeneous. Therefore, it cannot be described using a single value curve number or a single Tc' The nonhomogeniety in the watershed can be of the following types:

  - Slope-the average watershed slope or channel hydraulic gradient for the subareas varies significantly.

  - Land use, soils, and cover are not distributed uniformly throughout the watershed. Example-one area in woods on "a" soils and the other in high density urban on "d" soils.

- Shape-the length/width ration (l/w) for a subarea is much different than the l/w for the whole watershed.

- Subareas are needed because the watershed has more than one main stream or branch.

- Valley storage is involved-there is a significant routing effect because of the large volume of storage in a low gradient channel reach.

- Reservoir storage-the effects of a reservoir in a subarea need to be quantified.

Tabular Peak Discharge Method

Method Development

The Tabular Method was developed from hydrograph analysis using TR20, Computer Program for Project Formulation Hydrology. The tabular hydrograph tables were developed by computing hydrographs for one square mile of drainage area at selected Tc' s and routing them through stream reaches with different travel times. The Modified Att-Kin method was used for reach routings. A curve number (CN) of 75 and rainfall amounts generating the appropriate initial abstraction to rainfall Ia/P) ratio were used. The resulting estimated runoff was used to convert the hydrographs to unit hydrograph values (cubic feet per second per square mile per inch of runoff).

The discharge at any hydrograph time is:

$q = q_t A_m Q$

where,

q = discharge, cfs for the hydrograph coordinate at time t

q_t= tabular hydrograph unit discharge at time t

A_m = drainage area of individual subarea (mi^2); and
Q = storm runoff, inches.

When to Use The Tabular Method

The tabular method is used when:

- A heterogeneous watershed can be subdivided into homogeneous areas.
- The watershed has more than one main stem.
- Valley or reservoir storage is involved.
- Other.
- You are concerned either with peak discharges or the hydrographs occurring at several locations within the watershed.
    - A hydrograph is needed to look at timing of a peak flow, or for duration of flow above a base level.

Input Requirements

In order to use the Tabular Method, the watershed must be subdivided into areas that are relatively homogeneous and have convenient routing reaches.

The input requirements are:

- Drainage area (A_m) mi², for each subarea.
- Weighted runoff curve number (CN) for each subarea, obtained by using the procedure shown in Module 104 Runoff Curve Number Computation.
- Time of concentration (T_c), hr, for each subarea obtained
- by using the procedure shown in Module 206A, Time of Concentration.
- Travel time (T_t), hr., through each downstream subarea, obtained by using the procedure shown in Module 206A. Travel time through a routing reach is computed using either shallow concentrated and/or open channel flow.
- Appropriate SCS rainfall distribution, Type I, IA, II, or III.
- 24-hour rainfall, in., for the desired frequency.

Procedure for Using *the* Tabular Method

The general steps in developing a hydrograph using the tabular method are:

Step 1

For the watershed location selected, find the appropriate rainfall distribution from Figure B-2, page 34.

Step 2

For a selected rainfall frequency, find the 24-hour rainfall amount (P) from the appropriate precipitation-frequency data.

Step 3

Compute the weighted CN for each subarea using procedures in Module 104. CN and P are used to obtain the total storm runoff (Q).

Step 4

Using the weighted CN, obtain an initial abstraction (Ia) for each subarea from Table 5-1, page 35. The Ia/P ratio is then computed for each subarea.

Step 5

Calculate a T_e value for each subarea and a T_t value for each downstream subarea using Module 206A.

Step 6

On worksheet SA, page 23, record subarea name and measured drainage area size, T_e, T_t, P, CN, Q, la, and la/p values. Then, for each subarea, the downstream subareas are listed and the Tt value for each listed downstream subarea are summed and recorded in the summation of Tt column. Also, Am times Q is multiplied for each subarea and recorded.

Step 7

Round the calculated values of Tc and Tt for the subareas to the given Exhibit 5 table values. For each subarea, take the Tc value and the sum of the Tt values to the watershed point of interest.
Then use the following three rounding operations, and choose the pair of rounded Tc and Tt values whose sum is closest to the actual sum. If the two operations produce sums equally close to the actual sum, use the pair in which the rounded Tc is closest to actual T.
c

a. Round T_c and T_t separately to the nearest table value and sum;

b. Round T_c down and T_t up to the nearest table value and sum;

c. Round T_c up and T_t down to the nearest table value and sum.

Example

Table value by rounding method

Actual value		**a**	**b**	**c**
T_c	1.1	1.0	1.0	1.25
T_t	1.1	1.0	1.5	1.00
Sum	2.2	2.0	2.5	2.25

Select the rounded values by method c as the sum closest to the actual sum of Tc and Tt

Step 8

Round the computed Ia/P values to the nearest Ia/P value in the tables.

Step 9

Develop individual subarea hydrographs using Worksheet 5b. For the appropriate rainfall distribution curve and selected rounded values of T_c, T_t, and Ia/P, and selected hydrograph times, the table tabular unit hydrograph value is multiplied by A_mQ and the discharge value is entered.

Step 10

Develop a composite hydrograph which is the summation of all the subarea hydrograph discharge values for each hydrograph time.

Limitations

The following limitations should be kept in mind when using the Tabular Method for computing peak discharge and hydrographs.

- The accuracy of the hydrographs produced by the Tabular Method decreases as the complexity of the watershed increases.
- Maximum T_c is two hours.
- Maximum T_t is three hours.
- Only a partial hydrograph is developed.
- Not accurate if there is a difference in drainage area size for the individual subareas that exceed a ratio of five.
- The reach routings were done assuming the same velocity for all discharges.

Example 1

Given

A watershed in Dyer County, Tennessee that has been subdivided into seven subareas (see Figure 1 below).



Figure 1. Fallswood Project

Subarea Name	Data Drainage Area (mi2)	Time of Concentration (hr)	Travel Time Through Subarea	Runoff curve number
1	0.30	1.50	-	65
2	0.20	1.25	-	70
3	0.10	0.50	0.50	75
4	0.25	0.75	-	70
5	0.20	1.50	1.25	75
6	0.40	1.50	-	70
7	0.20	1.25	0.75	75

Rainfall distribution = Type II; P25 = 6.0 in.

Find

The 25-year peak discharge at the downstream end of subarea seven using worksheets 5a and 5b (Figures 2 and 3).

Solution
Step 1

Record given data of subarea name, drainage area, time of concentration, travel time through subarea, 24-hour rainfall, and runoff curve number on Worksheet 5a (Fig 2).

Step 2

For each subarea, list the downstream names in column 5.

Step 3

Sum the travel time for each subarea in column 5 and record in I, Tt column 6.

Step 4

For rainfall P (column 7) and runoff curve number (column 8) use Figure 2-1, page 34, to determine runoff Q and record in column. 9.

Step 5

Column 10, multiply A_m (column 2) times Q (column 9).

Step 6

I_a (column 11) from Table 5-1, page 35, for CN (column 8).

Step 7

I_a/P (column 12) equals column 11 divided by column 7.

Step 8

Transfer subarea name, T_c, $\sum T_t$, Ia/P, and A_mQ to Worksheet 5b (Fig 3).

Step 9

With T_c and $\sum T_t$, enter exhibit 5-1, pages 36-45, and for each selected hydrograph time, multiply the unit hydrograph value by A_mQ to get the hydrograph discharge value.

Step 10

Sum each of the subarea hydrograph columns (individually) on Worksheet 5b to get the composite

hydrograph.

Project: Fallswood Location Dyer County, Tennessee By Date

Circle one: (Present) Developed Frequency (yr) 25 Checked Date

Subarea name	Drainage area Am (mi²)	Time of Concen-tration Tc (hr)	Travel time through subarea Tt (hr)	Downstream subarea names	Travel time summation to outlet ∑Tt (hr)	24-h r Rain-fall P (in)	Runoff curve number CN	Run-off Q (In)	AmQ (mi²-10)	Initial abstrac-tion Ia (in)	Ia./P
1	.30	1.50	-			6.0	65				
2	.20	1.25	-			6.0	70				
3	.10	.50	.50			6.0	75				
4	.25	.75	-			6.0	70				
5	.20	1.25	1.25			6.0	75				
6	.40	1.50	-			6.0	70				
7	.20	.75	.75			6.0	75				

From" worksheet 3 From works heat 2 From table 5-1

Project: Location By Date

Circle one: Present Developed Frequency (yr) Checked Date

Subarea name	Basic watershed data used 1/				Select and enter hydrograph time. in hour. from exhibit. 5- 2											
	Sub-area (Tc hr)	∑Tt To outlet (hrs	Ia/P	AmQ (mi²-in)	Discharges at selected hydrograph time 3/ cfs)											
Complete hydrograph at outlet																

Figure 3. Worksheet 5b: Tabular hydrograph discharge summary

Project: Fallswood Location Dyer County, Tennessee By DW Date 10/1/85

Circle one (Present) Developed Frequency (yr) 25 Checked Date 10/3/85

Subarea name	Drainage area A_m (mi^2)	Time of concentration Tc (hr)	Travel Time through subarea Tt (hr)	Downstream Subarea names	Travel time summation to outlet ∑Tt	24-h r Rainfall P (in)	Runoff Curve number CN	Runoff Q	AmQ (mi^2-10)	Initial abstraction Ia (in)	Ia./P
1	.30	1.50	-	3,5,7	2.50	6.0	65	2.35	.71	1.077	.18
2	.20	1.25	-	3,5,7	2.50	6.0	70	2.80	.56	.857	.14
3	.10	.50	.50	5,7	2.00	6.0	75	3.28	.33	.667	.11
4	.25	.75	-	5,7	2.00	6.0	70	2.80	.70	.857	.14
5	.20	1.25	1.25	7	.75	6.0	75	3.28	.66	.667	.11
6	.40	1.50	-	7	.75	6.0	70	2.80	1.12	.857	.14
7	.20	.75	.75	-	0	6.0	75	3.28	.66	.667	.11
		From" worksheet 3			From works heat 2		From table 5-1				

Figure 4. Worksheet 5a for example one

Project: Fallswood Location Dyer County, Tennessee By DW Date 10/1/85

Circle one: (Present) Developed Frequency (yr) 25 Checked Date 10/3/85

Basic watershed data used 1/					Select and enter hydrograph time. in hour. from exhibit. 5- 2/											
Subarea name	Subarea (Tc hr)	∑Tt To outlet (hrs	Ia/P	AmQ (mi²-in)	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5
					Discharges at selected hydrograph time 3/ (cfs)											
1	1.50	2.50	.10	.71	4	4	5	6	6	8	10	13	24	49	100	149
2	1.25	2.50	.10	.56	3	4	4	6	7	8	11	16	32	64	110	127
3	.50	2.00	.10	.33	5	5	6	8	12	21	41	67	98	92	60	29
4	.75	2.00	.10	.70	8	9	11	14	20	34	62	106	172	192	149	81
5	1.50	.75	.10	.66	21	28	50	83	118	147	158	154	127	98	67	44
6	1.50	.75	.10	1.12	36	47	85	140	200	249	269	261	216	166	114	75
7	1.25	0	.10	.66	169	187	205	176	140	108	85	69	51	40	31	24
Complete hydrograph at outlet					246	284	366	433	503	575	636	686	720	701	631	529

Figure 5. Worksheet 5b for example one.

Summary

In summary, you have learned how to use the TR55, Tabular Method to compute peak discharges and develop hydrographs.

Remember that there are certain limitations to using the Tabular Method. Do not abuse these limitations or your results may be in error.

Retain this Study Guide as a reference until you are satisfied that you have successfully mastered all the methods covered. It will provide an easy review at any time if you should encounter a problem.

If you have had problems understanding the module or if you would like to take additional, related modules, contact your supervisor.

When you are satisfied that you have completed this module, remove the Certificate of Completion sheet (last page of the Study Guide), fill it out, and give it to your supervisor to submit, through channels, to your Training Officer.

Appendix A Charts and Tables



Figure B-2.—Approximate geographic boundaries for SCS rainfall distributions.

Source: Chapter 2, Engineering Field Manual, Appendix 8, TR-65



Curve number	Ia (in)	Curve number	Ia (in)
40	3.000	70	0.857
41	2.878	71	0.817
42	2.762	72	0.778
43	2.651	73	0.740
44	2.545	74	0.703
45	2.444	75	0.667
46	2.348	76	0.632
47	2.255	77	0.597
48	2.167	78	0.564
49	2.082	79	0.532
50	2.000	80	0.500
51	1. 992	81	0.469
52	1.846	82	0.439
53	1.774	83	0.410
54	1. 704	84	0.381
55	1.636	85	0.353
56	1.571	86	0.326
57	1.509	87	0.299
58	1.448	88	0.273
59	1.390	89	0.247
60	1.333	90	0.222
61	1.279	91	0.198
62	1.226	92	0.174
63	1.175	93	0.151
64	1.125	94	0.128
65	1.077	95	0.105
66	1.030	96	0.083
67	0.985	97	0.062
68	0.941	98	0.041
69	0.899		

Table 5-1. I. values for runoff curve numbers.

Exhibit 5-11: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =0.1 HR * * *															IA/P = 0.10		
0.0	24	34	53	334	647	1010	623	217	147	123	104	86	76	66	57	51	46	42	38	34	32	29	26	23	21	20	19	18	15	13	12	0
.10	21	29	43	134	267	520	847	701	378	224	157	122	98	75	64	56	50	45	41	36	33	30	27	24	21	20	19	18	16	13	12	0
.20	18	25	35	61	110	215	418	704	702	486	312	209	151	94	73	62	54	49	44	38	34	31	28	25	22	21	19	18	16	14	12	0
.30	17	23	33	56	92	174	337	582	662	545	359	269	190	109	79	65	56	50	45	39	35	32	29	25	22	21	20	18	16	14	12	0
.40	15	20	28	41	51	78	142	272	478	601	563	447	328	172	104	76	63	55	49	42	37	33	29	26	23	21	20	19	17	14	12	0
.50	14	19	26	39	47	68	117	220	392	531	553	482	380	209	121	84	67	57	51	43	38	33	30	27	23	21	20	19	17	14	12	0
.75	12	15	21	29	33	38	49	73	126	224	343	432	464	385	252	156	103	76	62	50	43	36	31	28	25	22	21	19	17	15	12	0
1.0	9	12	15	21	23	26	29	33	40	55	86	148	238	406	434	317	205	130	89	62	50	41	34	30	27	24	22	20	18	16	12	0
1.5	7	8	10	14	15	16	18	20	22	25	29	34	45	101	220	339	373	320	234	131	80	53	40	34	30	27	24	21	19	17	12	2
2.0	4	6	7	9	9	10	11	12	13	15	16	18	20	25	37	72	150	252	336	312	216	109	58	42	34	30	27	24	20	18	13	8
2.5	3	4	5	6	7	7	8	8	9	10	11	12	13	16	19	25	39	75	142	262	309	229	108	58	41	34	30	27	22	19	14	11
3.0	1	2	3	4	4	5	5	6	6	7	7	8	8	10	12	14	17	22	31	76	169	288	236	122	64	43	35	30	24	20	16	11
	IA/P = 0.30													* * * TC =0.1 HR * * *															IA/P = 0.30		
0.0	0	0	0	154	568	936	524	217	172	149	126	107	97	86	76	69	63	58	53	48	46	42	38	34	31	30	28	27	24	20	19	0
.10	0	0	0	19	109	415	762	603	346	230	176	143	119	96	84	74	68	62	57	50	47	44	40	35	32	30	29	27	24	21	19	0
.20	0	0	0	0	13	77	302	609	605	432	297	217	167	115	94	81	73	66	60	53	48	45	41	37	33	31	29	28	25	21	19	0
.30	0	0	0	0	9	54	219	479	563	476	357	263	199	129	99	85	75	68	62	54	49	45	41	37	33	31	29	28	25	21	19	0
.40	0	0	0	0	0	6	38	159	372	500	484	399	309	183	123	96	82	73	66	58	51	46	42	38	34	31	30	28	25	22	19	0
.50	0	0	0	0	0	4	27	115	287	429	465	421	346	213	138	103	86	76	68	59	52	47	43	39	34	32	30	29	25	22	19	0
.75	0	0	0	0	0	0	1	10	46	132	246	338	381	341	243	165	119	94	80	67	58	50	45	41	37	33	31	29	26	23	19	0
1.0	0	0	0	0	0	0	0	1	4	22	69	149	241	357	331	246	170	122	96	76	64	54	47	42	38	34	32	30	27	24	19	0
1.5	0	0	0	0	0	0	0	0	0	0	0	1	4	41	142	258	310	285	224	142	97	71	55	47	43	39	35	32	29	25	20	4
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	10	49	130	221	279	255	182	108	70	55	47	42	38	34	30	27	20	11
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	14	52	119	224	256	193	107	70	55	47	42	38	32	28	22	17
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	52	141	240	199	117	74	56	48	43	35	30	24	18
	IA/P = 0.50													* * * TC =0.1 HR * * *															IA/P = 0.50		
0.0	0	0	0	0	70	539	377	196	171	154	134	117	108	99	89	83	77	72	67	61	59	56	51	46	43	42	40	38	34	30	28	0
.10	0	0	0	0	47	375	376	256	199	169	146	126	114	102	92	85	79	73	68	62	59	56	52	47	43	42	40	38	34	30	28	0
.20	0	0	0	0	0	31	260	338	283	227	189	160	138	112	99	90	83	77	72	64	60	57	53	48	44	42	41	39	35	30	28	0
.30	0	0	0	0	0	0	21	180	285	284	246	208	176	131	110	97	88	82	76	68	62	59	54	50	45	43	41	39	36	31	28	0
.40	0	0	0	0	0	0	14	125	232	266	253	223	192	142	115	100	91	83	77	69	63	59	55	50	45	43	41	40	36	31	28	0
.50	0	0	0	0	0	0	9	86	183	239	248	231	205	154	122	104	93	85	79	71	64	59	55	51	46	43	41	40	36	32	28	0
.75	0	0	0	0	0	0	3	31	87	147	190	211	213	184	147	121	103	92	84	75	67	61	57	52	47	44	42	40	37	32	28	0
1.0	0	0	0	0	0	0	0	0	1	13	45	92	141	205	197	165	134	112	98	84	75	65	57	55	50	46	43	41	38	34	28	0
1.5	0	0	0	0	0	0	0	0	0	0	0	2	9	51	118	170	183	167	143	111	92	77	65	59	54	50	45	43	39	35	28	2
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	15	51	103	148	168	156	127	96	76	65	58	54	49	45	41	37	29	12
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	31	69	131	159	140	101	78	66	59	54	50	43	39	31	24
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	46	101	151	134	99	77	65	59	54	45	41	33	26
	RAINFALL TYPE = II													* * * TC = 0.1 HR * * *															SHEET 1 OF 10		

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
		IA/P = 0.10												* * * TC =0.2 HR * * *																	IA/P = 0.10	
0.0	23	31	47	209	403	739	800	481	250	166	128	102	86	70	61	54	49	44	40	35	33	30	27	24	21	20	19	18	16	13	12	0
.10	19	26	39	86	168	325	601	733	565	355	229	161	122	83	69	59	53	47	43	37	34	31	28	25	22	21	19	18	16	14	12	0
.20	17	23	32	49	74	136	262	488	652	594	435	298	207	115	81	67	58	51	46	40	35	32	29	26	23	21	20	19	16	14	12	0
.30	16	22	30	46	64	112	212	396	566	585	485	360	258	139	90	71	60	53	48	41	36	32	29	26	23	21	20	19	16	14	12	0
.40	14	19	25	37	43	57	94	173	322	485	551	507	409	227	129	87	68	58	52	44	38	33	30	27	24	21	20	19	17	14	12	0
.50	13	18	24	35	40	52	80	142	262	410	504	506	441	269	153	98	73	61	53	45	39	34	30	27	24	22	20	19	17	15	12	0
.75	10	13	17	23	26	30	34	40	55	86	150	247	349	438	360	240	151	101	75	57	47	39	33	29	26	23	21	20	18	15	12	0
1.0	9	11	14	19	21	24	26	30	35	44	62	101	167	337	413	353	245	157	104	68	53	42	35	31	28	24	22	20	18	16	12	0
1.5	6	8	10	13	14	15	17	19	21	23	26	30	37	73	166	288	356	337	264	154	91	57	42	35	30	27	24	22	19	17	13	3
2.0	4	5	7	8	9	10	10	11	12	14	15	16	18	23	31	55	114	206	291	324	239	125	63	44	35	31	28	24	20	18	14	9
2.5	3	4	5	6	6	7	7	8	9	9	10	11	12	15	18	22	32	58	111	227	298	246	122	63	43	35	31	27	22	19	15	11
3.0	1	2	3	4	4	4	5	5	6	6	7	7	8	9	11	13	16	19	27	59	138	280	248	137	70	46	36	31	25	21	16	11
		IA/P = 0.30												* * * TC =0.2 HR * * *																	IA/P = 0.30	
0.0	0	0	0	39	180	545	697	497	276	198	158	130	110	93	81	73	67	61	56	49	46	43	39	35	32	30	29	27	24	21	19	0
.10	0	0	0	2	27	129	407	600	532	361	252	190	150	108	90	79	71	65	59	52	48	44	41	36	32	31	29	28	25	21	19	0
.20	0	0	0	2	19	92	302	501	521	415	306	228	176	119	95	82	73	67	61	53	48	45	41	37	33	31	29	28	25	21	19	0
.30	0	0	0	0	1	13	66	223	408	484	438	350	269	163	114	93	80	72	65	57	51	46	42	38	34	31	30	28	25	22	19	0
.40	0	0	0	0	1	9	47	164	327	431	436	379	306	189	127	98	83	74	67	58	52	47	43	38	34	31	30	28	25	22	19	0
.50	0	0	0	0	0	0	6	33	120	258	374	415	391	271	173	121	95	81	72	62	55	48	44	40	35	32	30	29	26	22	19	0
.75	0	0	0	0	0	0	2	13	50	126	221	302	348	323	240	167	121	96	81	68	59	50	45	41	37	33	31	29	26	23	19	0
1.0	0	0	0	0	0	0	0	0	1	6	24	69	139	285	331	280	204	145	109	82	68	56	48	43	39	35	32	30	27	24	19	0
1.5	0	0	0	0	0	0	0	0	0	0	0	0	1	16	79	186	271	288	247	165	110	76	58	49	44	40	35	32	29	26	20	5
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	24	80	163	235	262	202	123	76	58	49	43	39	35	30	27	21	13
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	28	77	179	242	207	120	75	57	48	43	39	32	29	22	17
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	30	101	207	227	130	80	59	49	44	35	30	24	18
		IA/P = 0.50												* * * TC =0.2 HR * * *																	IA/P = 0.50	
0.0	0	0	0	0	7	98	371	322	221	182	158	137	120	104	94	86	80	74	69	62	60	57	52	47	44	42	40	39	35	30	25	0
.10	0	0	0	0	4	67	270	305	249	204	174	149	130	108	97	88	82	76	71	64	60	57	53	48	44	42	41	39	35	30	28	0
.20	0	0	0	0	0	3	45	195	268	255	221	189	163	125	106	95	87	80	75	67	62	58	54	49	45	43	41	39	35	31	28	0
.30	0	0	0	0	0	2	31	140	226	245	229	203	176	134	111	98	89	82	76	68	62	59	55	50	45	43	41	39	36	31	28	0
.40	0	0	0	0	0	1	21	101	184	225	228	211	188	144	117	101	91	84	78	69	63	59	55	50	45	43	41	40	36	31	28	0
.50	0	0	0	0	0	0	1	14	72	146	199	218	213	175	137	113	99	89	82	73	66	60	56	52	47	43	42	40	36	32	28	0
.75	0	0	0	0	0	0	0	5	28	71	121	162	186	193	161	133	112	98	88	78	70	62	57	53	48	44	42	41	37	33	28	0
1.0	0	0	0	0	0	0	0	0	0	2	13	38	77	154	186	174	147	122	105	89	78	68	60	56	51	46	43	42	38	34	28	0
1.5	0	0	0	0	0	0	0	0	0	0	0	0	2	22	71	129	163	168	150	120	98	80	67	60	55	51	46	43	40	36	28	4
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	25	65	112	146	157	134	103	79	67	60	55	50	46	41	38	29	14
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	26	60	117	148	136	101	79	66	59	54	50	43	39	31	24
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	9	40	90	142	130	99	78	66	59	54	45	41	33	26
		RAINFALL TYPE = II												* * * TC = 0.2 HR * * *																	SHEET 2 OF 10	

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
IA/P = 0.10														* * * TC =0.3 HR * * *																	IA/P = 0.10
0.0	20	28	41	118	235	447	676	676	459	283	196	146	114	80	66	57	51	46	42	37	33	31	28	24	22	20	19	18	16	13	12	0
.10	19	26	39	99	189	361	571	641	520	362	251	181	136	89	70	60	53	48	43	37	34	31	28	25	22	21	19	18	16	14	12	0
.20	17	23	32	53	83	154	292	478	587	542	422	308	223	127	86	68	58	52	46	40	35	32	29	26	23	21	20	19	16	14	12	0
.30	16	22	30	49	72	127	237	398	524	536	460	359	268	151	97	73	61	53	48	41	36	32	29	26	23	21	20	19	16	14	12	0
.40	14	19	25	37	45	63	105	193	330	459	510	477	398	237	139	92	70	59	52	44	38	34	30	27	24	21	20	19	17	14	12	0
.50	13	18	24	35	42	56	89	158	272	397	472	475	424	274	163	104	76	62	54	46	39	34	30	27	24	22	20	19	17	15	12	0
.75	11	14	19	26	30	34	42	59	95	160	250	339	417	398	299	196	128	89	69	54	45	37	32	29	26	23	21	20	17	15	12	0
1.0	9	11	14	19	21	24	27	30	36	46	68	109	174	328	396	346	248	163	109	70	54	43	35	31	28	24	22	20	13	16	12	0
1.5	6	8	10	13	14	15	17	19	21	23	26	31	38	77	169	282	347	330	264	158	94	58	42	35	31	27	24	22	19	17	13	3
2.0	4	5	7	8	9	10	10	11	12	14	15	16	18	23	32	57	116	205	285	317	239	128	64	44	36	31	28	25	20	18	14	9
2.5	2	4	5	6	6	7	7	8	9	9	10	11	12	15	18	23	33	60	113	223	293	245	125	65	44	35	31	27	22	19	15	11
3.0	1	2	3	4	4	4	5	5	6	6	7	7	8	9	11	13	16	20	27	61	138	275	246	139	72	46	36	31	25	21	16	11
IA/P = 0.30														* * * TC =0.3 HR * * *																	IA/P = 0.30
0.0	0	0	0	11	64	251	525	574	454	303	221	173	140	104	88	77	70	64	58	51	47	44	40	36	32	31	29	28	24	21	19	0
.10	0	0	0	7	45	183	411	520	476	360	268	205	133	101	85	76	69	62	55	49	45	41	37	33	31	30	28	25	21	19	0
.20	0	0	0	0	5	32	132	318	452	468	396	310	240	151	109	90	78	70	64	56	50	46	42	38	33	31	30	28	25	22	19	0
.30	0	0	0	0	0	3	22	96	244	383	440	411	344	217	142	105	87	76	69	60	53	47	43	39	35	32	30	29	26	22	19	0
.40	0	0	0	0	0	2	16	69	186	317	399	407	365	246	160	115	92	79	71	61	54	48	43	39	35	32	30	29	26	22	19	0
.50	0	0	0	0	0	0	2	11	50	140	258	352	389	327	223	149	110	89	77	66	57	50	45	41	36	33	31	29	26	23	19	0
.75	0	0	0	0	0	0	1	4	20	63	135	219	290	335	281	205	146	110	89	72	62	52	46	42	38	34	31	30	27	23	19	0
1.0	0	0	0	0	0	0	0	0	0	2	9	32	78	216	320	306	243	176	128	90	72	59	49	44	40	36	33	31	28	24	19	1
1.5	0	0	0	0	0	0	0	0	0	0	0	0	2	20	84	185	264	281	246	168	112	77	58	49	44	40	36	32	29	26	20	5
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	12	50	121	200	257	224	141	83	61	50	44	40	36	31	28	21	14
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	16	51	145	239	223	137	82	60	50	44	40	33	29	22	17
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	19	74	184	224	146	89	63	51	45	36	31	24	18
IA/P = 0.50														* * * TC =0.3 HR * * *																	IA/P = 0.50
0.0	0	0	0	0	1	25	151	299	277	219	187	162	141	113	100	90	84	78	72	65	61	58	53	48	44	42	41	39	35	31	28	0
.10	0	0	0	0	1	17	106	235	263	234	202	175	152	120	104	93	85	79	73	66	61	58	54	49	44	42	41	39	35	31	28	0
.20	0	0	0	0	0	0	12	75	182	236	234	213	188	144	116	101	91	84	78	70	63	59	55	50	45	43	41	40	36	31	28	0
.30	0	0	0	0	0	0	8	52	138	203	224	217	197	154	123	105	94	86	79	71	64	59	55	51	46	43	42	40	36	32	28	0
.40	0	0	0	0	0	0	5	37	105	170	206	213	203	164	131	110	97	88	81	72	65	60	56	51	46	43	42	40	36	32	28	0
.50	0	0	0	0	0	0	0	4	26	78	140	184	203	191	155	126	107	95	86	76	69	62	57	53	48	44	42	41	37	33	28	0
.75	0	0	0	0	0	0	0	1	10	34	73	117	153	184	173	146	122	105	94	82	73	64	58	54	49	45	43	41	37	33	28	0
1.0	0	0	0	0	0	0	0	0	0	0	4	17	42	114	168	178	159	134	114	94	82	70	61	57	52	47	44	42	39	35	28	0
1.5	0	0	0	0	0	0	0	0	0	0	0	0	1	10	44	98	144	163	157	130	105	84	69	61	56	52	47	44	40	36	29	6
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	14	44	87	127	153	141	110	83	69	61	56	51	47	42	38	30	17
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	16	42	97	138	145	107	82	68	60	55	51	43	40	32	25
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	27	71	127	139	105	81	68	60	55	46	41	33	27
RAINFALL TYPE = II														* * * TC = 0.3 HR * * *																	SHEET 3 OF 10

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.3	11.9	12.1	12.3	12.5	12.7	13.0	13.4	13.8	14.3	15.0	16.0	17.0	18.0	20.0	26.0															
	11.0	11.6	12.0	12.2	12.4	12.6	12.8	13.2	13.6	14.0	14.6	15.5	16.5	17.5	19.0	22.0															
	IA/P = 0.10							* * * TC =0.4 HR * * *								IA/P = 0.10														
0.0	18	25	36	77	141	271	468	592	574	431	298	216	163	104	77	63	55	49	44	38	34	31	28	25	22	21	20	18	16	14	12	0
.10	18	24	34	67	116	219	385	523	557	473	357	263	196	119	84	67	57	51	46	39	35	32	29	25	22	21	20	19	16	14	12	0
.20	15	20	28	44	59	97	179	316	454	523	489	401	309	178	112	81	65	56	49	42	37	33	30	26	23	21	20	19	17	14	12	0
.30	15	20	27	41	53	82	147	260	389	478	486	429	349	210	129	89	69	58	51	43	38	33	30	27	24	21	20	19	17	14	12	0
.40	13	17	23	33	38	48	71	121	214	331	429	467	442	308	189	120	85	66	56	47	41	35	31	28	24	22	20	19	17	15	12	0
.50	12	16	22	31	36	44	62	102	176	279	379	438	440	339	218	137	94	71	59	49	42	35	31	28	25	22	21	19	17	15	12	0
.75	10	13	17	24	26	30	35	45	65	106	170	251	326	393	341	245	164	112	81	59	48	39	33	30	26	23	21	20	18	15	12	0
1.0	8	10	13	17	19	21	24	27	31	37	50	75	118	251	360	376	292	205	138	83	60	45	36	32	28	25	22	21	18	16	12	1
1.5	6	7	9	12	13	14	15	17	19	21	23	26	31	56	121	224	311	333	293	192	115	66	45	36	31	28	25	22	19	17	13	4
2.0	4	5	6	8	8	9	10	10	11	12	14	15	16	20	27	43	85	159	243	306	264	154	74	47	37	32	28	25	21	18	14	9
2.5	2	3	4	5	6	6	7	7	8	9	9	10	11	13	16	20	27	46	85	184	285	262	147	74	47	37	32	28	22	19	15	11
3.0	1	2	2	3	4	4	4	5	5	6	6	7	7	8	10	12	14	17	23	47	109	227	268	160	83	50	38	32	25	21	16	11
	IA/P = 0.30							* * * TC =0.4 HR * * *								IA/P = 0.30														
0.0	0	0	0	4	26	113	296	480	495	413	306	234	186	127	100	84	74	67	61	54	49	45	41	37	33	31	29	28	25	21	19	0
.10	0	0	0	0	2	18	81	224	395	462	430	347	272	172	121	96	82	73	66	57	51	46	42	38	34	31	30	28	25	22	19	0
.20	0	0	0	0	2	13	59	169	320	414	424	373	305	196	134	103	85	75	67	59	52	47	43	39	34	32	30	29	25	22	19	0
.30	0	0	0	0	0	1	9	42	127	255	361	403	383	274	181	127	99	83	73	63	55	48	44	40	36	32	30	29	26	23	19	0
.40	0	0	0	0	0	1	6	30	94	202	308	372	379	298	203	141	106	87	76	65	56	49	44	40	36	32	31	29	26	23	19	0
.50	0	0	0	0	0	0	0	4	21	70	158	258	334	364	270	187	133	102	85	70	60	51	46	41	37	33	31	30	26	23	19	0
.75	0	0	0	0	0	0	0	2	8	30	76	145	219	321	305	241	177	130	102	78	65	55	47	43	38	34	32	30	27	24	19	0
1.0	0	0	0	0	0	0	0	0	0	1	4	15	42	150	267	308	272	209	154	103	79	62	51	45	41	37	33	31	28	25	19	1
1.5	0	0	0	0	0	0	0	0	0	0	0	0	1	10	51	136	226	274	263	195	131	85	62	51	45	41	36	33	29	26	20	6
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	31	86	162	252	239	162	93	64	52	45	41	37	31	28	21	15
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	33	112	202	235	155	92	64	52	45	41	33	29	23	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	21	76	182	221	148	90	63	51	45	36	31	24	18
	IA/P = 0.50							* * * TC =0.4 HR * * *								IA/P = 0.50														
0.0	0	0	0	0	0	7	59	168	245	257	213	186	163	128	109	96	88	81	75	67	62	58	54	50	45	43	41	39	35	31	28	0
.10	0	0	0	0	0	0	5	41	125	205	240	222	198	154	123	106	94	86	79	71	64	60	56	51	46	43	42	40	36	32	28	0
.20	0	0	0	0	0	0	3	28	93	168	216	220	205	164	131	110	97	88	81	72	65	60	56	51	46	43	42	40	36	32	28	0
.30	0	0	0	0	0	0	0	2	20	69	135	189	209	192	155	126	107	95	86	77	69	62	57	53	48	44	42	41	37	33	28	0
.40	0	0	0	0	0	0	0	1	14	50	106	161	193	202	163	133	112	98	89	78	70	62	58	53	48	44	42	41	37	33	28	0
.50	0	0	0	0	0	0	0	1	9	37	83	135	174	194	171	140	117	102	91	80	71	63	58	54	49	45	43	41	37	33	28	0
.75	0	0	0	0	0	0	0	0	0	3	15	40	76	147	177	169	146	124	107	90	79	68	60	56	51	47	43	42	38	34	28	0
1.0	0	0	0	0	0	0	0	0	0	0	1	7	21	78	141	173	167	146	125	101	86	73	63	58	53	48	45	42	39	35	28	1
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	5	26	71	121	153	159	139	113	89	72	63	57	53	48	44	40	37	29	7
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	16	45	86	138	150	125	93	74	64	58	53	48	42	39	31	20
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	17	59	112	143	121	91	73	63	57	53	45	40	32	26
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	11	40	101	138	117	90	73	63	57	48	42	34	27
	RAINFALL TYPE = II							* * * TC = 0.4 HR * * *								SHEET 4 OF 10														

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.3	11.9	12.1	12.3	12.5	12.7	13.0	13.4	13.8	14.3	15.0	16.0	17.0	18.0	20.0	26.0															
	11.0	11.6	12.0	12.2	12.4	12.6	12.8	13.2	13.6	14.0	14.6	15.5	16.5	17.5	19.0	22.0															
	IA/P = 0.10							* * * TC =0.5 HR * * *									IA/P = 0.10														
0.0	17	23	32	57	94	170	308	467	529	507	402	297	226	140	96	74	61	53	47	41	36	32	29	26	23	21	20	19	16	14	12	0
.10	16	22	30	51	80	140	252	395	484	499	434	343	265	162	108	80	65	55	49	42	36	33	29	26	23	21	20	19	16	14	12	0
.20	14	19	25	38	47	69	116	207	332	434	477	449	378	238	149	101	77	62	53	45	39	34	30	27	24	22	20	19	17	14	12	0
.30	13	18	24	35	43	60	97	170	278	382	446	448	401	270	171	114	83	66	56	46	40	34	31	27	24	22	20	19	17	15	12	0
.40	12	15	21	29	33	40	53	83	141	233	332	408	434	361	243	157	107	79	64	51	43	36	32	28	25	22	21	20	17	15	12	0
.50	11	15	20	28	31	37	48	71	118	194	286	367	412	378	271	178	119	86	68	53	44	37	32	29	25	23	21	20	17	15	12	0
.75	9	11	14	19	21	24	27	31	37	49	74	118	182	319	374	328	244	169	117	76	56	43	35	31	28	25	22	21	18	16	12	1
1.0	7	9	12	16	17	19	21	24	27	32	40	55	83	188	309	359	322	245	172	102	68	49	38	32	29	26	23	21	19	16	12	1
1.5	5	7	8	11	12	13	14	15	17	19	21	23	27	43	89	175	269	322	309	225	140	77	49	38	32	29	25	23	20	17	13	5
2.0	3	4	6	7	8	8	9	10	10	11	12	14	15	18	23	35	65	123	202	297	280	181	88	52	39	33	29	26	21	19	14	10
2.5	2	3	4	5	5	6	6	7	7	8	9	9	10	12	15	18	24	36	66	150	244	278	171	87	52	39	33	29	23	20	15	11
3.0	1	1	2	3	3	4	4	4	5	5	6	6	7	8	9	11	13	16	20	37	86	198	263	182	96	56	40	33	26	21	16	11
	IA/P = 0.30							* * * TC =0.5 HR * * *									IA/P = 0.30														
0.0	0	0	0	1	9	53	157	314	433	439	379	299	237	159	118	95	81	71	65	56	50	46	42	38	34	31	30	28	25	22	19	0
.10	0	0	0	0	1	6	37	117	248	372	416	391	330	218	150	113	92	79	70	60	53	47	43	39	35	32	30	29	26	22	19	0
.20	0	0	0	0	1	4	26	87	194	313	392	388	349	244	167	122	97	82	72	62	54	48	43	39	35	32	30	29	26	22	19	0
.30	0	0	0	0	0	0	3	19	64	151	259	341	372	316	223	156	117	94	80	67	58	50	45	41	36	33	31	29	26	23	19	0
.40	0	0	0	0	0	0	2	13	47	116	211	298	354	328	245	172	127	100	83	69	59	51	45	41	37	33	31	29	26	23	19	0
.50	0	0	0	0	0	0	1	9	34	89	170	255	341	303	225	161	120	96	76	64	54	47	42	38	34	31	30	27	24	19	0
.75	0	0	0	0	0	0	0	1	4	14	41	89	152	270	305	268	207	155	118	87	70	57	48	44	39	35	32	30	27	24	19	0
1.0	0	0	0	0	0	0	0	0	0	0	2	7	22	98	212	295	285	237	181	120	88	67	53	46	42	38	34	31	28	25	19	2
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	5	30	95	183	249	265	217	152	96	66	53	46	41	37	34	30	26	20	8
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	18	59	125	221	245	182	105	69	54	47	42	38	32	28	22	16
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	21	84	174	230	172	103	69	54	46	42	34	30	23	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	13	56	157	217	163	101	68	53	46	37	31	25	18
	IA/P = 0.50							* * * TC =0.5 HR * * *									IA/P = 0.50														
0.0	0	0	0	0	0	2	26	89	170	217	229	200	179	144	119	104	93	85	78	70	64	59	55	51	46	43	41	40	36	32	28	0
.10	0	0	0	0	0	0	1	18	65	135	190	216	205	170	137	115	101	91	83	74	67	61	56	52	47	44	42	40	36	32	28	0
.20	0	0	0	0	0	0	1	12	47	106	162	198	203	178	145	121	105	94	85	76	68	61	57	52	48	44	42	40	37	32	28	0
.30	0	0	0	0	0	0	0	1	8	34	82	135	177	194	168	139	117	102	92	80	71	63	58	54	49	45	43	41	37	33	28	0
.40	0	0	0	0	0	0	0	0	6	25	63	111	155	189	174	146	122	106	94	82	73	64	58	54	50	45	43	41	37	33	28	0
.50	0	0	0	0	0	0	0	0	4	18	48	90	133	184	177	152	128	110	97	84	74	65	59	55	50	45	43	41	38	33	28	0
.75	0	0	0	0	0	0	0	0	1	7	22	47	80	142	169	164	144	124	108	91	79	68	61	56	51	47	44	42	38	34	28	0
1.0	0	0	0	0	0	0	0	0	0	0	1	3	11	51	112	155	166	154	134	109	91	76	65	59	54	49	45	43	39	35	28	2
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	16	50	97	136	154	145	121	95	75	64	58	54	49	45	41	37	29	10
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	18	47	86	134	146	125	94	75	64	58	53	49	42	39	31	21
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	11	44	95	140	127	97	77	65	58	54	45	41	33	26
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	29	86	135	122	95	76	65	58	49	43	35	27
	RAINFALL TYPE = II							* * * TC = 0.5 HR * * *									SHEET 5 OF 10														

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =0.75 HR * * *																	IA/P = 0.10
0.0	13	18	24	36	46	68	115	194	294	380	424	410	369	252	172	123	93	74	61	49	41	35	31	27	24	22	20	19	17	15	12	0
.10	13	17	23	34	42	59	97	162	250	337	395	405	381	279	191	135	100	79	65	51	42	36	31	28	25	22	21	19	17	15	12	0
.20	11	15	20	28	32	39	52	82	135	211	295	362	391	351	255	178	127	95	75	57	46	38	32	29	26	23	21	20	17	15	12	0
.30	11	14	19	26	30	36	47	70	113	179	256	326	379	360	277	196	140	103	80	60	48	38	33	29	26	23	21	20	18	15	12	0
.40	10	12	16	22	25	28	33	42	61	96	151	221	291	367	336	255	182	131	98	69	54	42	34	30	27	24	22	20	18	16	12	0
.50	9	12	16	21	24	27	31	39	53	82	128	190	258	358	343	274	200	144	106	74	56	43	35	30	27	24	22	20	18	16	12	0
.75	8	10	13	17	18	21	23	26	31	39	55	82	122	230	314	329	281	217	161	104	72	51	38	33	29	26	23	21	19	16	12	1
1.0	6	8	10	13	14	15	17	19	21	23	27	32	42	89	177	272	319	303	249	163	105	66	45	36	31	27	24	22	19	17	13	3
1.5	4	6	7	9	10	10	11	12	14	15	16	18	20	27	46	90	163	241	295	275	204	119	66	45	35	31	27	24	20	18	13	7
2.0	3	4	5	6	7	7	8	9	9	10	11	12	13	16	20	28	48	89	151	245	274	213	115	65	44	35	30	27	22	19	14	10
2.5	1	2	3	4	4	5	5	6	6	7	7	8	8	10	12	14	17	24	37	86	170	260	219	127	71	47	36	31	24	20	16	11
3.0	1	1	2	3	3	3	4	4	4	5	5	5	6	7	8	10	11	14	17	30	64	157	247	205	122	70	46	36	27	22	17	12
	IA/P = 0.30													* * * TC =0.75 HR * * *																	IA/P = 0.30
0.0	0	0	0	0	1	6	30	86	174	266	326	348	328	246	181	138	110	92	79	66	57	49	44	40	36	32	31	29	26	23	19	0
.10	0	0	0	0	0	1	4	22	65	137	223	292	329	303	228	170	131	106	89	73	61	52	46	41	37	33	31	29	26	23	19	0
.20	0	0	0	0	0	0	3	15	48	108	185	256	305	321	245	184	141	112	93	75	63	53	46	42	37	34	31	30	27	23	19	0
.30	0	0	0	0	0	0	2	11	36	84	151	221	277	308	260	199	152	120	98	78	65	54	47	42	38	34	31	30	27	23	19	0
.40	0	0	0	0	0	0	0	1	8	27	65	122	188	286	301	243	187	144	114	87	71	57	48	43	39	35	32	30	27	24	19	1
.50	0	0	0	0	0	0	1	6	20	50	98	158	263	292	254	200	155	122	91	74	59	49	44	40	35	32	30	27	24	19	1
.75	0	0	0	0	0	0	0	0	0	2	8	23	51	140	231	269	253	211	167	119	90	68	53	46	42	37	34	31	28	25	19	2
1.0	0	0	0	0	0	0	0	0	0	0	0	1	4	29	96	186	249	261	231	169	120	84	61	50	44	40	36	33	29	26	20	5
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	34	91	163	220	241	197	131	83	61	50	44	40	35	31	27	21	12
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	36	85	174	226	200	127	82	60	49	44	39	32	29	22	17
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	37	105	196	214	135	87	62	51	44	36	31	24	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	24	96	205	189	130	85	62	50	39	32	26	18
	IA/P = 0.50													* * * TC =0.75 HR * * *																	IA/P = 0.50
0.0	0	0	0	0	0	0	2	16	45	92	137	166	185	170	146	125	110	98	89	79	70	63	58	53	48	44	42	41	37	33	28	0
.10	0	0	0	0	0	0	0	1	11	34	73	115	149	180	163	141	122	107	96	84	74	65	59	54	50	45	43	41	38	33	28	0
.20	0	0	0	0	0	0	0	1	8	25	57	96	131	173	166	146	126	111	99	86	76	66	59	55	50	46	43	41	38	34	28	0
.30	0	0	0	0	0	0	0	0	1	5	18	44	79	143	170	160	141	122	108	92	81	69	61	56	52	47	44	42	38	34	28	1
.40	0	0	0	0	0	0	0	0	0	4	14	34	64	127	166	162	145	127	111	95	82	70	62	57	52	47	44	42	38	34	28	1
.50	0	0	0	0	0	0	0	0	0	0	2	10	26	82	138	162	157	140	123	103	88	75	64	58	53	49	45	43	39	35	28	2
.75	0	0	0	0	0	0	0	0	0	0	1	4	12	47	98	139	154	148	135	113	96	80	67	60	55	50	46	43	39	36	29	3
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	30	73	119	146	151	134	113	91	74	63	58	53	48	45	41	37	29	7
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	30	66	105	143	143	117	90	73	63	57	52	48	42	39	30	18
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	30	77	121	137	114	88	72	63	57	52	44	40	32	25
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	19	55	111	132	111	87	71	62	56	47	42	34	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	12	51	112	128	108	86	71	62	51	44	36	27
	RAINFALL TYPE = II													* * * TC = 0.75 HR * * *																	SHEET 6 OF 10

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =1.0 HR * * *																IA/P = 0.10	
0.0	11	15	20	29	35	47	72	112	168	231	289	329	357	313	239	175	133	103	83	63	50	40	33	29	26	23	21	20	17	15	12	0
.10	10	13	17	24	27	33	42	62	95	144	202	260	306	340	293	222	165	126	98	72	56	43	35	30	27	24	22	20	18	15	12	0
.20	10	13	17	23	26	30	38	54	82	123	176	232	281	332	303	238	179	136	105	76	59	45	35	30	27	24	22	20	18	16	12	1
.30	9	12	16	22	24	28	35	48	70	105	152	205	256	323	310	254	193	146	113	81	61	46	36	31	27	24	22	20	18	16	12	1
.40	8	11	14	19	21	23	27	32	42	61	91	132	181	276	318	294	237	181	138	95	70	51	39	32	28	25	23	21	18	16	12	1
.50	8	10	13	18	20	22	25	30	38	53	78	114	159	253	311	300	251	195	149	102	74	53	40	33	29	25	23	21	18	16	12	1
.75	7	8	11	14	16	17	19	21	25	30	38	53	76	146	228	284	293	256	208	143	99	66	46	36	31	27	24	22	19	17	13	2
1.0	5	7	8	11	12	13	14	16	17	19	22	25	31	57	111	188	256	286	272	208	144	90	56	41	33	29	26	23	20	17	13	4
1.5	4	5	6	8	8	9	10	11	12	13	14	15	17	22	33	59	107	171	231	268	235	157	88	56	41	33	29	25	21	18	14	8
2.0	2	3	4	5	5	6	6	7	7	8	9	9	10	12	15	19	27	44	78	157	231	252	167	96	59	42	34	29	23	20	15	11
2.5	1	2	2	3	4	4	4	5	5	6	6	7	7	8	10	12	15	19	27	58	120	214	241	159	94	59	42	34	26	21	16	11
3.0	0	1	1	2	2	3	3	3	4	4	4	5	5	6	7	8	10	12	14	22	44	113	214	231	152	91	58	42	29	23	17	12
	IA/P = 0.30													* * * TC =1.0 HR * * *																IA/P = 0.30	
0.0	0	0	0	0	1	4	16	42	83	137	195	243	271	292	227	178	143	117	98	79	66	55	47	42	38	34	31	30	27	23	19	0
.10	0	0	0	0	0	0	3	12	32	66	113	168	218	279	260	213	169	136	113	88	72	59	49	43	39	35	32	30	27	24	19	1
.20	0	0	0	0	0	0	2	9	24	52	93	143	193	271	271	225	180	145	119	92	75	60	50	44	39	35	32	30	27	24	19	1
.30	0	0	0	0	0	0	1	6	18	41	75	120	169	246	264	234	191	153	125	96	78	62	51	44	40	36	33	31	27	24	19	1
.40	0	0	0	0	0	0	0	1	4	14	32	61	100	190	251	259	222	181	146	109	86	67	53	46	41	37	33	31	28	25	19	2
.50	0	0	0	0	0	0	0	1	3	10	24	49	83	168	237	254	230	191	155	115	90	69	54	47	42	37	34	31	28	25	19	2
.75	0	0	0	0	0	0	0	0	0	1	4	12	25	76	150	213	239	228	198	149	112	82	61	50	44	39	35	32	29	26	20	4
1.0	0	0	0	0	0	0	0	0	0	0	0	1	2	15	51	113	182	226	234	197	150	104	72	56	47	42	38	34	30	27	20	7
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	18	51	104	162	220	210	158	102	71	56	47	42	37	31	28	22	13
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	20	49	121	187	209	152	100	70	55	47	41	34	29	23	17
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	7	32	87	171	199	146	98	69	54	46	37	31	24	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	13	62	158	192	151	103	73	56	41	34	26	18
	IA/P = 0.50													* * * TC =1.0 HR * * *																IA/P = 0.50	
0.0	0	0	0	0	0	0	1	7	21	42	71	101	126	160	154	138	123	110	100	87	77	67	60	55	50	46	43	41	38	34	28	1
.10	0	0	0	0	0	0	0	1	5	15	33	58	87	134	156	149	134	120	108	93	82	71	62	57	52	47	44	42	38	34	28	1
.20	0	0	0	0	0	0	0	1	4	12	26	48	74	123	153	153	137	123	111	95	84	72	63	57	52	47	44	42	38	34	28	1
.30	0	0	0	0	0	0	0	0	3	9	20	38	62	111	143	150	140	127	114	98	86	73	63	58	53	48	45	42	39	35	28	1
.40	0	0	0	0	0	0	0	0	0	2	6	16	31	75	120	145	148	137	123	106	91	77	66	59	54	49	45	43	39	35	29	2
.50	0	0	0	0	0	0	0	0	0	1	5	12	25	64	109	139	146	139	127	108	94	79	67	60	55	50	46	43	39	36	29	3
.75	0	0	0	0	0	0	0	0	0	0	2	5	12	39	78	115	136	140	134	117	101	84	70	62	56	51	47	44	40	36	29	4
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	26	59	96	125	139	133	117	97	78	66	59	54	49	46	41	37	29	8
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	9	26	54	86	123	133	119	95	77	66	59	54	49	43	39	31	17
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	25	64	104	129	116	93	76	65	58	53	45	41	33	24
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	10	34	84	125	117	96	78	66	59	49	43	35	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	32	89	122	114	94	77	66	53	45	37	27
	RAINFALL TYPE = II													* * * TC = 1.0 HR * * *																SHEET 7 OF 10	

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =1.25 HR * * *																	IA/P = 0.10
0.0	10	13	18	25	29	38	54	81	118	163	213	256	284	311	266	212	163	129	104	78	61	47	37	31	27	24	22	20	18	16	12	1
.10	10	13	17	23	27	34	47	69	102	143	189	234	267	297	274	226	175	138	111	82	64	48	38	31	27	24	22	20	18	16	12	1
.20	9	11	15	20	22	26	31	42	60	88	124	168	212	280	292	261	212	166	131	95	72	53	40	33	28	25	23	21	18	16	12	1
.30	8	11	14	19	21	24	29	38	53	76	108	148	190	263	288	268	224	177	140	101	76	55	41	34	29	25	23	21	18	16	12	2
.40	8	10	13	18	20	23	27	34	46	66	94	130	170	245	282	273	235	188	149	107	80	58	42	34	29	26	23	21	19	16	12	2
.50	7	9	12	16	17	19	22	25	31	41	58	82	114	190	256	279	262	222	178	127	93	65	46	36	31	27	24	22	19	17	13	2
.75	6	8	10	14	15	17	19	21	25	31	41	56	78	139	207	254	265	245	208	152	110	75	51	39	32	28	25	22	19	17	13	3
1.0	5	6	8	10	11	13	14	15	17	19	22	26	33	60	109	173	230	261	255	208	153	100	64	46	36	30	26	24	20	18	13	5
1.5	3	4	5	7	7	8	9	9	10	11	12	13	15	19	27	45	79	130	186	247	239	180	108	68	48	37	31	27	22	19	14	10
2.0	2	3	4	5	6	6	7	7	8	8	9	10	11	13	16	22	35	59	98	171	236	236	156	95	62	44	35	30	23	20	15	11
2.5	1	2	2	3	4	4	4	5	5	5	6	6	7	8	10	12	14	19	28	58	114	197	226	163	102	65	46	36	26	21	16	11
3.0	0	1	1	2	2	2	2	3	3	3	4	4	4	5	6	7	9	10	13	19	35	88	184	218	169	109	70	49	31	24	18	12
	IA/P = 0.30													* * * TC =1.25 HR * * *																	IA/P = 0.30
0.0	0	0	0	0	0	2	9	25	50	86	130	174	208	253	235	201	164	136	115	92	76	61	51	44	39	35	32	30	27	24	19	1
.10	0	0	0	0	0	0	1	6	19	40	71	110	153	217	247	227	191	157	131	103	84	66	53	46	41	36	33	31	28	24	19	2
.20	0	0	0	0	0	0	1	4	14	31	58	93	133	202	239	231	199	165	138	108	87	68	55	47	41	37	33	31	28	25	19	2
.30	0	0	0	0	0	0	0	1	3	10	24	46	77	152	210	236	222	190	158	122	97	74	58	49	43	38	34	32	28	25	20	3
.40	0	0	0	0	0	0	0	0	2	8	19	37	64	134	196	232	225	198	166	127	101	77	59	50	43	38	35	32	28	25	20	3
.50	0	0	0	0	0	0	0	0	0	2	6	14	30	82	151	206	228	217	189	146	113	85	64	52	45	40	36	33	29	26	20	5
.75	0	0	0	0	0	0	0	0	0	1	2	7	15	49	105	164	205	218	205	166	129	95	69	55	47	41	37	33	29	26	20	6
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	32	77	134	185	214	203	166	120	83	63	52	45	39	35	30	27	21	10
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	33	72	121	184	203	171	117	82	62	51	44	39	32	29	22	15
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	21	67	132	194	174	123	86	64	52	45	35	31	24	18
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	13	46	121	187	166	119	84	63	52	39	32	25	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	44	129	180	160	116	83	63	44	35	27	18
	IA/P = 0.50													* * * TC =1.25 HR * * *																	IA/P = 0.50
0.0	0	0	0	0	0	0	1	5	13	26	44	68	91	125	142	142	128	117	107	94	83	72	63	57	52	47	44	42	38	34	28	2
.10	0	0	0	0	0	0	0	0	3	10	20	36	57	100	129	140	136	125	114	100	88	76	65	59	54	49	45	43	39	35	29	3
.20	0	0	0	0	0	0	0	0	2	7	16	30	48	90	122	139	139	127	117	102	90	77	66	60	54	49	45	43	39	35	29	3
.30	0	0	0	0	0	0	0	0	0	2	5	12	24	59	98	126	137	134	125	109	96	82	69	61	56	51	46	44	40	36	29	4
.40	0	0	0	0	0	0	0	0	0	1	4	10	19	51	89	119	134	136	127	112	98	83	70	62	56	51	47	44	40	36	29	5
.50	0	0	0	0	0	0	0	0	0	1	3	7	15	43	79	112	131	135	129	114	100	85	71	63	57	52	47	44	40	36	29	6
.75	0	0	0	0	0	0	0	0	0	0	0	1	3	15	39	71	102	123	130	125	112	94	78	67	60	54	49	46	41	37	29	9
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	17	40	71	101	121	129	121	103	84	71	62	56	51	47	42	38	30	13
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	26	51	92	119	125	105	86	72	63	57	52	44	40	32	23
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	11	35	72	112	122	103	85	71	63	56	47	42	34	26
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	24	66	111	119	101	83	71	62	51	44	36	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	23	71	110	116	99	82	70	55	46	37	27
	RAINFALL TYPE = II													* * * TC = 1.25 HR * * *																	SHEET 8 OF 10

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																												
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10									* * * TC =1.5 HR * * *																		IA/P = 0.10		
0.0	9	11	15	21	25	31	41	58	82	112	147	184	216	255	275	236	198	159	129	98	76	57	43	35	30	25	23	21	18	16	12	1
.10	8	10	13	18	20	23	28	37	51	72	98	131	166	226	265	254	226	187	151	113	86	63	46	37	31	26	23	21	19	16	13	2
.20	8	10	13	17	19	22	26	33	45	63	87	116	149	212	259	259	233	197	160	119	90	66	48	38	32	27	24	22	19	16	13	2
.30	7	9	12	16	18	21	24	30	40	55	76	103	134	197	244	255	238	206	169	125	95	68	49	38	32	27	24	22	19	17	13	2
.40	7	8	11	14	15	17	19	23	28	36	49	67	91	151	208	247	252	230	196	146	109	77	54	41	34	29	25	22	19	17	13	3
.50	6	8	10	13	15	16	18	21	26	33	43	59	80	136	194	238	249	235	204	154	115	81	56	42	34	29	25	23	20	17	13	3
.75	5	7	8	11	12	13	14	16	18	21	25	32	42	76	125	179	222	240	233	193	148	102	67	48	38	32	27	24	20	18	13	5
1.0	4	5	7	8	9	10	11	12	13	14	16	18	22	34	59	101	152	201	236	230	193	135	86	59	44	35	30	26	21	18	14	7
1.5	3	4	5	6	6	7	8	8	9	10	11	12	13	16	22	34	58	95	141	203	226	197	131	84	58	43	35	29	23	20	15	10
2.0	1	2	3	4	4	5	5	6	6	7	7	8	9	10	12	16	22	34	56	110	172	218	187	126	82	57	43	34	25	21	16	11
2.5	1	1	2	2	3	3	3	4	4	4	5	5	6	7	8	9	11	14	18	34	69	141	210	190	133	87	60	44	30	23	17	12
3.0	0	0	1	1	2	2	2	2	3	3	3	3	4	5	5	6	8	9	11	16	27	66	149	204	181	128	85	58	35	25	18	12
	IA/P = 0.30									* * * TC =1.5 HR * * *																		IA/P = 0.30		
0.0	0	0	0	0	0	1	6	15	31	53	80	112	144	193	225	208	186	157	134	108	89	70	56	48	42	37	34	31	28	25	20	2
.10	0	0	0	0	0	1	4	12	25	43	68	97	157	198	219	203	178	151	120	98	77	60	50	44	38	35	32	28	25	20	3
.20	0	0	0	0	0	0	1	3	9	19	35	57	114	168	201	213	196	171	135	108	84	64	53	46	40	36	33	29	26	20	4
.30	0	0	0	0	0	0	1	2	7	15	29	48	100	155	193	210	200	177	140	113	87	66	54	46	41	36	33	29	26	20	5
.40	0	0	0	0	0	0	0	0	2	5	12	23	39	87	141	184	207	202	182	146	117	89	68	55	47	41	36	33	29	26	20	5
.50	0	0	0	0	0	0	0	0	0	1	4	9	18	51	101	153	190	205	197	164	131	99	73	58	49	43	38	34	30	26	20	7
.75	0	0	0	0	0	0	0	0	0	0	2	4	9	30	68	116	160	189	197	179	147	110	80	62	52	45	39	35	30	27	21	8
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	20	49	92	138	175	195	178	137	97	72	57	48	42	37	31	28	21	12
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	21	47	95	145	187	178	133	95	71	57	48	42	34	29	23	16
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	13	45	97	162	180	138	99	74	58	49	38	32	25	18
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	31	89	161	174	133	97	72	58	42	34	26	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	29	98	160	169	129	95	71	48	37	28	19
	IA/P = 0.50									* * * TC =1.5 HR * * *																		IA/P = 0.50		
0.0	0	0	0	0	0	0	0	3	8	16	27	42	59	92	116	128	130	121	112	100	90	78	67	60	55	50	46	43	39	35	29	4
.10	0	0	0	0	0	0	0	2	6	12	22	35	51	84	110	125	128	123	114	102	91	79	68	61	55	50	46	43	39	35	29	4
.20	0	0	0	0	0	0	0	0	1	4	10	18	29	60	91	114	126	128	120	108	97	83	71	63	57	52	47	44	40	36	29	5
.30	0	0	0	0	0	0	0	0	1	3	8	14	24	52	83	108	123	126	122	110	98	85	72	63	57	52	48	44	40	36	29	6
.40	0	0	0	0	0	0	0	0	0	1	2	6	12	31	60	90	112	124	126	116	104	90	75	66	59	54	49	45	41	37	29	8
.50	0	0	0	0	0	0	0	0	0	0	2	4	9	26	53	83	106	121	125	118	106	91	77	67	60	54	49	46	41	37	29	8
.75	0	0	0	0	0	0	0	0	0	0	1	2	5	16	36	62	88	108	119	122	112	97	81	69	62	56	51	47	42	38	30	11
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	26	49	75	98	118	121	108	90	76	66	59	54	49	43	39	31	16
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	11	25	45	80	107	118	106	89	75	65	59	53	45	41	32	23
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	11	32	63	100	115	104	87	74	65	58	48	42	34	26
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	16	48	94	113	105	89	76	66	53	45	36	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	15	54	96	111	103	88	75	58	48	38	28
	RAINFALL TYPE = II									* * * TC = 1.5 HR * * *																		SHEET 9 OF 10		

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
IA/P = 0.10														* * * TC =2.0 HR * * *															IA/P = 0.10			
0.0	7	9	12	16	18	21	27	36	49	64	82	104	127	171	201	226	208	193	171	132	105	79	58	45	36	30	26	23	20	17	13	3
.10	6	8	10	14	15	17	20	25	33	43	57	74	94	139	179	204	218	205	188	150	118	88	63	48	38	32	27	24	20	17	13	4
.20	6	8	10	13	14	16	19	23	29	39	51	66	84	128	169	198	213	207	192	157	123	91	65	49	39	33	28	24	20	17	13	4
.30	6	7	9	12	14	15	18	21	27	35	45	59	76	117	159	191	211	208	196	163	128	95	68	51	40	33	28	25	20	18	13	4
.40	5	6	8	11	12	13	15	17	20	24	31	41	53	87	128	167	197	209	205	180	145	106	75	55	43	35	30	26	21	18	14	5
.50	5	6	8	10	11	13	14	16	18	22	28	37	48	78	118	158	190	208	208	185	151	111	77	57	44	36	30	26	21	18	14	5
.75	4	6	7	9	10	11	12	13	15	18	22	27	35	58	91	129	164	191	202	194	167	125	87	63	48	38	32	27	22	18	14	6
1.0	3	4	6	7	8	8	9	10	11	12	14	16	18	28	46	74	110	147	178	201	193	156	108	76	56	43	35	30	23	19	14	8
1.5	2	3	3	5	5	5	6	6	7	8	8	9	10	12	16	23	36	57	86	137	178	195	160	113	79	58	45	36	26	21	16	11
2.0	1	2	2	3	3	4	4	4	5	5	6	6	7	8	10	12	16	23	35	67	112	169	190	154	110	78	57	44	30	23	17	11
2.5	0	1	1	2	2	2	3	3	3	4	4	4	5	6	7	8	9	12	16	28	52	105	170	185	149	107	76	56	35	26	18	12
3.0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	4	5	6	7	8	12	18	41	99	161	180	152	112	80	45	30	19	12
IA/P = 0.30														* * * TC =2.0 HR * * *															IA/P = 0.30			
0.0	0	0	0	0	0	1	3	8	15	25	38	54	74	115	148	168	185	170	159	131	110	89	70	57	49	42	38	34	29	26	20	5
.10	0	0	0	0	0	0	0	2	6	12	21	32	47	85	124	153	169	180	168	145	120	96	75	60	51	44	39	35	30	26	20	6
.20	0	0	0	0	0	0	0	2	4	10	17	27	41	75	114	146	165	175	170	149	124	99	76	62	52	45	39	35	30	27	21	6
.30	0	0	0	0	0	0	0	0	1	3	7	14	23	49	86	122	151	170	174	160	136	107	82	66	54	47	41	37	31	27	21	8
.40	0	0	0	0	0	0	0	0	1	2	6	11	19	43	77	113	144	165	173	163	140	111	85	67	55	47	41	37	31	27	21	8
.50	0	0	0	0	0	0	0	0	1	2	4	9	16	37	68	104	136	160	171	165	144	114	87	69	56	48	42	37	31	27	21	9
.75	0	0	0	0	0	0	0	0	0	0	1	2	5	15	34	62	96	127	152	167	160	132	100	77	62	52	45	40	32	28	22	11
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	24	48	79	111	150	166	153	118	90	71	58	49	43	34	29	23	14
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	10	24	45	88	130	161	148	115	88	70	57	48	37	31	24	17
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	10	32	68	122	157	143	113	87	68	56	42	34	26	18
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	16	51	114	153	144	116	89	70	49	38	27	19
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	15	59	118	150	140	113	88	57	42	29	19
IA/P = 0.50														* * * TC =2.0 HR * * *															IA/P = 0.50			
0.0	0	0	0	0	0	0	0	1	4	8	13	20	28	51	73	92	104	111	112	106	97	86	75	66	60	54	49	46	41	37	30	7
.10	0	0	0	0	0	0	0	1	3	6	11	17	24	45	68	87	101	109	112	107	98	88	76	67	60	55	50	46	41	37	30	8
.20	0	0	0	0	0	0	0	1	2	5	9	14	21	40	62	82	98	107	111	108	100	89	77	68	61	55	50	47	41	37	30	8
.30	0	0	0	0	0	0	0	0	0	2	4	7	12	26	46	67	86	100	108	111	104	93	80	70	63	57	52	48	42	38	30	10
.40	0	0	0	0	0	0	0	0	0	1	3	6	10	22	41	62	81	96	106	110	105	94	81	71	63	57	52	48	42	38	30	11
.50	0	0	0	0	0	0	0	0	0	0	1	2	4	13	27	46	67	85	99	110	108	98	85	74	66	59	54	49	43	39	31	13
.75	0	0	0	0	0	0	0	0	0	0	0	1	2	7	18	33	52	71	88	104	108	102	89	77	68	61	55	50	44	39	31	15
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	13	25	43	62	87	103	108	97	84	73	65	59	53	45	41	32	20
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	12	24	48	74	99	106	95	83	72	64	58	48	43	34	25
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	17	37	69	99	104	94	82	72	64	52	45	36	27
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	8	27	65	95	102	95	83	73	58	49	38	28
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	32	68	95	101	93	82	64	52	40	28

RAINFALL TYPE = II   * * * TC = 2.0 HR * * *   SHEET 10 OF 10

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

Activity 1

At this time, complete Activity 1 in your Study Guide to review the material just covered. When you are finished, compare your answers with the solution provided near the back of this module. When you are sure you understand the material, continue with the Study Guide text.

Activity 1

1. When should the tabular peak discharge method be used?

2. What are the six input requirements for each subarea in the Tabular Peak Discharge Method?

a.

b.

c.

d.

e.

f.

Activity 2

At this time, complete Activity 2, in your Study Guide to review the material just covered. When you are finished, compare your answers with the solution provided. When you are sure you understand the material, continue with the Study Guide text.

Given

The subdivided watershed in Dyer County, Tennessee (see sketch).



Figure 1. Fallswood Project

		Subarea Data		
Subarea Name	Drainage Area (mi2)	Time of Concentration (hr)	Travel Time Through Subarea	Runoff curve number
1	0.30	1.4	-	65
2	0.27	1.2	-	70
3	0.10	0.6	0.45	75
4	0.18	0.9	-	70
5	0.20	1.3	1.10	75
6	0.34	1.6	-	70
7	0.12	1.0	0.80	75

Rainfall distribution = Type II; 5 = 6.0 in.

Find

The 25-year hydrograph at downstream end of subarea seven using worksheets 5a and 5b. Use

the 3 rounding methods to select Tc and Tt for each subarea.

Basic watershed data used 1/					Select and enter hydrograph time. in hour. from exhibit. 5-2/											
Subarea name	Sub-area (Tc hr)	∑Tt To outlet (hrs	Ia/P	AmQ (mi²-in)	Discharges at selected hydrograph time 3/ cfs)											
Complete hydrograph at outlet																

5b

Subarea name	Drainage area Am (mi²)	Time of Concentration Tc (hr)	Travel time through subarea Tt (hr)	Downstream subarea names	Travel time summation to outlet ∑Tt (hr)	24-h r Rain-fall P (in)	Runoff curve number CN	Run-off Q (In)	AmQ (mi²-10)	Initial abstrac-tion Ia (in)	Ia./P

5a

Worksheet Sb. Tabular hydrograph discharge summary.

Activity 3

At this time, complete Activity 3, in your Study Guide to review the material just covered. When you are finished, compare your answers with the solution provided. When you are sure you understand the material, continue with the Study Guide text.

Given

The watershed in activity two. A retarding structure has been constructed that controls subarea four with an average release of 5 cfs.

Find

The effect of the retarding structure on the 25-year peak discharge at the downstream end of subarea seven using Worksheet 5b. Use hydrograph data for subareas 1-3, and 5-7 from activity two.

Solution

Subarea name	Basic watershed data used 1/				Select and enter hydrograph time in hour from exhibit. 5- 2											
	Sub-area (Tc hr)	∑Tt To outlet (hrs	Ia/P	AmQ (mi²-in)	Discharges at selected hydrograph time 3/ - - - - - - - - - - - - - - - - - - (cfs) -											
														-		
Complete hydrograph at outlet																

Worksheet 5b. Tabular hydrograph discharge summary.

Activity 4

Given

The subdivided watershed in Dyer County described in activity two. A developer proposes to put a subdivision into subareas **1,** 2, and 4.
Estimated data for subarea 1, 2, and 4:

Subarea Data

Subarea Name	Drainage Area (mi	Time of Concentration (hr)	Travel Time Through Subarea	Runoff curve number
1	0.30	1.1	-	75
2	0.27	0.8	-	80
4	0.18	0.6	-	85

Rainfall distribution = Type II; Fh = 6.0 in.

Find

The effect of the subdivision on the 25-year peak discharge at the downstream end of subarea seven.

Solution

Worksheet Sa. Basic watershed data.

Subarea name	Drainage area A_m (mi^2)	Time of Concentration Tc (hr)	Travel time through subarea Tt (hr)	Downstream subarea names	Travel time summation to outlet $\sum Tt$ (hr)	24-h r Rain-fall P (in)	Runoff curve number CN	Run-off Q (In)	AmQ (mi^2-10)	Initial abstrac-tion Ia (in)	Ia./P

Worksheet 5b. Tabular hydrograph discharge summary.

Activity Solutions

Activity 1

1. When should the tabular peak discharge method be used?

The tabular peak discharge method can be used *when* (1) *watersheds* are *nonhomogeneous* because *of slope, land* use, *soils, cover, and shape,* (2) *watersheds have* more *than* one *main stream,* (3) *watersheds have valley* or *reservoir storage involved,* or (4) *watershed hydrographs are* required.

2. What are the six input requirements for each subarea in the Tabular Peak Discharge Method?

a. *Drainage area*

b. *Runoff curve number*

c. T_c

d. *Tt for each downstream subarea*

e. *Rainfall distribution type*

f. *24-hour rainfall for the* desired *frequency*

Activity 2

Given

The subdivided watershed in Dyer County, Tennessee (see sketch).

Find

The 25-year hydrograph at downstream end of subarea seven using worksheets 5a and 5b. Use the three rounding methods to select Tc and Tr



Figure 1. Fallswood Project

Subarea Data

Subarea Name	Drainage Area (mi	Time of Concentration (hr)	Travel Time Through Subarea	Runoff curve number
1	0.30	1.4	-	65
2	0.27	1.2	-	70
3	0.10	0.6	0.45	75
4	0.18	0.9	-	70
5	0.20	1.3	1.10	75
6	0.34	1.6	-	70
7	0.12	1.0	0.80	75

Rainfall distribution = Type ll; 5 = 6.0 in.

solution

The 25-year peak discharge is 681 cfs at 14.6 hours for Activity 2.

Selecting Tc and Tt		Actual Values	Table values by rounding method		
			a	b	c
Subarea 1	Tc	1.40	1.50	1.25	1.50
	Tt	2.35	2..5.Q	2.50	2.00
	Sum	3.75	4.00	3.75	3.50
				use	
2	Tc	1.20	1.25	1.00	1.25
	Tt	2.&5.		2.50	2.00
	Sum	3.55	3.75	3.50	3.25
				use	
3	Tc	0.60	0.50	0.50	0.75
	Tt	1.90	2..QQ	2.00	UQ
	Sum	2.50	2.50	2.50	2.25
			use		
4	Tc	0.90	1.00	0.75	1.00
	Tt	.L2Q	2.Jill	2.00	UQ
	Sum	2.80	3.00	2.75	2.50
				use	
5	Tc	1.30	1.25	1.25	1.50
	Tt	0.80	Q.Th	1.00	0.75
	Sum	2.10	2.00	2.25	2.25
			use		
6	Tc	1.60	1.50	1.50	2.00
	Tt	0.80	Q.Th	1.00	0.75
	Sum	2.40	2.25	2.50	2.75
				use	

Project: Activity 2 Location Dyer County, Tennessee By Date

Circle one: (Present) Developed Frequency (yr) 25 Checked Date

ubarea name	Drainage area Am (Mi^2)	Time of concentration Tc (hr)	Travel time through subarea Tt	Downstream subarea names (hr)	Travel time summation to outlet ∑Tt	24-h r Rain-fall P (in)	Runoff curve number CN	Run-off Q	AmQ (mi^2-10)	Initial abstrac-tion Ia (in)	Ia./P
1	.30	1.4	-	3,5,7	2.35	6.0	65	2.35	.71	1.077	.18
2	.27	1.2	-	3,5,7	2.35	6.0	70	2.81	.76	.857	.14
3	.10	.60	.45	5,7	1.9	6.0	75	3.28	.33	.667	.11
4	.18	.9	-	5,7	1.9	6.0	70	2.81	.51	.857	.14
5	.20	1.3	1.1	7	.8	6.0	75	3.28	.66	.667	.11
6	.34	1.6	-	7	.8	6.0	70	2.81	.96	.857	.14
7	.12	1.0	.8	-	0	6.0	75	3.28	.39	.667	.11

From" worksheet 3 From works heat 2 From table 5-1

Project: Activity 2 Location Dyer county, Tennessee By Date

Circle one: (Present) Developed Frequency (yr) 25 Checked Date

Basic watershed data used 1/					Select and enter hydrograph time. in hour. from exhibit. 5-2/											
Subarea name	Sub-area (Tc hr)	∑Tt To outlet (hrs	Ia/P	AmQ (mi^2-in)	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5
					Discharges at selected hydrograph time 3/ cfs)											
1	1.25	2.50	.10	.71	4	5	6	7	9	10	13	20	41	81	140	160
2	1.0	2.50	.10	.76	5	5	6	8	9	11	14	21	44	91	163	183
3	0.5	2.0	.10	.33	5	5	6	8	12	22	41	67	98	92	60	29
4	.75	2.0	.10	.51	6	7	8	10	14	24	45	77	125	140	109	59
5	1.25	.75	.10	.66	37	51	92	137	168	175	162	137	100	73	50	34
6	1.50	1.00	.10	.96	17	21	33	57	97	146	193	227	221	185	130	83
7	1.0		.10	.39	128	139	122	93	68	52	40	32	25	19	16	13
Complete hydrograph at outlet					202	233	273	320	377	440	511	581	654	681	668	561

Figure 3. Worksheet 5b: Tabular hydrograph discharge summary

Activity 3

Given

The watershed in activity two. A retarding structure has been constructed that controls subarea four with an average release of 5 cfs.

Find

The effect of the retarding structure on the 25-year peak discharge at the downstream end of subarea seven using Worksheet 5b. Use hydrograph data for subareas 1-3, and 5-7 from activity two.

Solution

The effect of the retarding structure for subarea four was to decrease the 25-year peak discharge of 681 cfs at 14.6 hours to 564 cfs at 15.0 hours.

Project: Activity3 Location Dyer county, Tennessee By___ Date

Circle one: Present Developed_____ Frequency (yr) 25 Checked_____ Date

Basic watershed data used 1/					Select and enter hydrograph time. in hour. from exhibit. 5-2/											
Subarea name	Sub-area (Tc hr)	∑Tt To outlet (hrs	Ia/P	AmQ (mi²-in)	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5
					Discharges at selected hydrograph time 3/ (cfs)											
1	1.25	2.50	.10	.71	4	5	6	7	9	10	13	20	41	81	140	160
2	1.0	2.50	.10	.76	5	5	6	8	9	11	14	21	44	91	163	183
3	0.5	2.0	.10	.33	5	5	6	8	12	22	41	67	98	92	60	29
4	.75	2.0	.10	.51	5	5	5	5	5	5	5	5	5	5	5	5
5	1.25	.75	.10	.66	37	51	92	137	168	175	162	137	100	73	50	34
6	1.50	1.00	.10	.96	17	21	33	57	97	146	193	227	221	185	130	83
7	1.0		.10	.39	128	139	122	93	68	52	40	32	25	19	16	13
Complete hydrograph at outlet					201	231	290	315	368	421	468	509	534	546	564	507

Figure 3. Worksheet 5b: Tabular hydrograph discharge summary

Activity 4
Given

The subdivided watershed in Dyer County described in activity two. A developer proposes to put a subdivision into subareas 1, 2, and 4.

Estimated data for subarea 1, 2, and 4:

Subarea Data				
Subarea Name	Drainage Area (mi)	Time of Concentration (hr)	TravelTime Through Subarea	Runoff curve number
1	0.30	1.1	-	75
2	0.27	0.8	-	80
4	0.18	0.6	-	85
Rainfall distribution = Type II; P_{25}= 6.0 in.				

Find

The effect of the subdivision on the 25-year peak discharge at the downstream end of subarea seven.

Solution

The effect of the subdivision would be to increase the 25-year peak discharge of 681 cis at 14.6 hours to 876 cis at 14.6 hours.

Project: Activity 4 Location Dyer County, Tennessee By Date

Circle one: Present (Developed) Frequency (yr) 25 Checked Date

Subarea name	Drainage area Am (m12)	Time of concentration Tc (hr)	Travel time through subarea Tt	Downstream subarea names (hr)	Travel time summation to outlet ∑Tt	24-h r Rain-fall P (in)	Runoff curve number CN	Run-off Q	AmQ (mi²-10)	Initial abstrac-tion Ia (in)	Ia./P
1	.30	1.1	-	3,5,7	2.35	6.0	75	3.28	.98	.667	.11
2	.27	.80	-	3,5,7	2.35	6.0	80	3.78	1.02	.500	.08
3	.10	.60	.45	5,7	1.9	6.0	75	3.28	.33	.667	.11
4	.18	.60	-	5,7	1.9	6.0	85	4.30	.77	.353	.06
5	.20	1.3	1.1	7	.8	6.0	75	3.28	.66	.667	.11
6	.34	1.6	-	7	.8	6.0	70	2.81	.96	.857	.14
7	.12	1.0	.8	-	0	6.0	75	3.28	.39	.667	.11
		From" worksheet 3				From works heat 2			From table 5-1		

Project: Activity 4 Location Dyer county, Tennessee By Date

Circle one: Present (Developed) Frequency (yr) 25 Checked Date

Basic watershed data used 1/					Select and enter hydrograph time. in hour. from exhibit. 5- 2/											
Subarea name	Sub-area (Tc hr)	∑Tt To outlet (hrs	Ia/P	AmQ (mi²-in)	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5
					Discharges at selected hydrograph time 3/ cfs)												
1	1.0	2.50	.10	.98	7	7	8	10	121	15	19	26	57	118	210	236
2	.75	2.50	.10	1.02	8	8	10	12	14	17	24	38	88	173	265	225
3	0.5	2.0	.10	.33	5	5	6	8	12	22	41	67	98	92	60	29
4	.5	2.0	.10	.77	11	12	14	18	27	50	95	156	229	216	139	68
5	1.25	.75	.10	.66	37	51	92	137	168	175	162	137	100	73	50	34
6	1.50	1.00	.10	.96	17	21	33	57	97	146	193	227	221	185	130	83
7	1.0		.10	.39	128	139	122	93	68	52	40	32	25	19	16	13
Complete hydrograph at outlet					213	243	285	335	398	477	574	683	818	876	870	686

Figure 3. Worksheet 5b: Tabular hydrograph discharge summary

Worksheet 5b. Tabular hydrograph discharge summary.

Appendix A Charts and Tables



Figure B-2.—Approximate geographic boundaries for SCS rainfall distributions.

Source: Chapter 2, Engineering Field Manual, Appendix 8, TR-65



Curve **number**	Ia **(in)**	Curve **number**	Ia **(in)**
40	3.000	70	0.857
41	2.878	71	0.817
42	2.762	72	0.778
43	2.651	73	0.740
44	2.545	74	0.703
45	2.444	75	0.667
46	2.348	76	0.632
47	2.255	77	0.597
48	2.167	78	0.564
49	2.082	79	0.532
50	2.000	80	0.500
51	1. 992	81	0.469
52	1.846	82	0.439
53	1.774	83	0.410
54	1. 704	84	0.381
55	1.636	85	0.353
56	1.571	86	0.326
57	1.509	87	0.299
58	1.448	88	0.273
59	1.390	89	0.247
60	1.333	90	0.222
61	1.279	91	0.198
62	1.226	92	0.174
63	1.175	93	0.151
64	1.125	94	0.128
65	1.077	95	0.105
66	1.030	96	0.083
67	0.985	97	0.062
68	0.941	98	0.041
69	0.899		

Table 5-1. I. values for runoff curve numbers.

Exhibit 5-11: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =0.1 HR * * *															IA/P = 0.10		
0.0	24	34	53	334	647	1010	623	217	147	123	104	86	76	66	57	51	46	42	38	34	32	29	26	23	21	20	19	18	15	13	12	0
.10	21	29	43	134	267	520	847	701	378	224	157	122	98	75	64	56	50	45	41	36	33	30	27	24	21	20	19	18	16	13	12	0
.20	18	25	35	61	110	215	418	704	702	486	312	209	151	94	73	62	54	49	44	38	34	31	28	25	22	21	19	18	16	14	12	0
.30	17	23	33	56	92	174	337	582	662	545	359	269	190	109	79	65	56	50	45	39	35	32	29	25	22	21	20	18	16	14	12	0
.40	15	20	28	41	51	78	142	272	478	601	563	447	328	172	104	76	63	55	49	42	37	33	29	26	23	21	20	19	17	14	12	0
.50	14	19	26	39	47	68	117	220	392	531	553	482	380	209	121	84	67	57	51	43	38	33	30	27	23	21	20	19	17	14	12	0
.75	12	15	21	29	33	38	49	73	126	224	343	432	464	385	252	156	103	76	62	50	43	36	31	28	25	22	21	19	17	15	12	0
1.0	9	12	15	21	23	26	29	33	40	55	86	148	238	406	434	317	205	130	89	62	50	41	34	30	27	24	22	20	18	16	12	0
1.5	7	8	10	14	15	16	18	20	22	25	29	34	45	101	220	339	373	320	234	131	80	53	40	34	30	27	24	21	19	17	12	2
2.0	4	6	7	9	9	10	11	12	13	15	16	18	20	25	37	72	150	252	336	312	216	109	58	42	34	30	27	24	20	18	13	8
2.5	3	4	5	6	7	7	8	8	9	10	11	12	13	16	19	25	39	75	142	262	309	229	108	58	41	34	30	27	22	19	14	11
3.0	1	2	3	4	4	5	5	6	6	7	7	8	8	10	12	14	17	22	31	76	169	288	236	122	64	43	35	30	24	20	16	11
	IA/P = 0.30													* * * TC =0.1 HR * * *															IA/P = 0.30		
0.0	0	0	0	154	568	936	524	217	172	149	126	107	97	86	76	69	63	58	53	48	46	42	38	34	31	30	28	27	24	20	19	0
.10	0	0	0	19	109	415	762	603	346	230	176	143	119	96	84	74	68	62	57	50	47	44	40	35	32	30	29	27	24	21	19	0
.20	0	0	0	0	13	77	302	609	605	432	297	217	167	115	94	81	73	66	60	53	48	45	41	37	33	31	29	28	25	21	19	0
.30	0	0	0	0	9	54	219	479	563	476	357	263	199	129	99	85	75	68	62	54	49	45	41	37	33	31	29	28	25	21	19	0
.40	0	0	0	0	0	6	38	159	372	500	484	399	309	183	123	96	82	73	66	58	51	46	42	38	34	31	30	28	25	22	19	0
.50	0	0	0	0	0	4	27	115	287	429	465	421	346	213	138	103	86	76	68	59	52	47	43	39	34	32	30	29	25	22	19	0
.75	0	0	0	0	0	0	1	10	46	132	246	338	381	341	243	165	119	94	80	67	58	50	45	41	37	33	31	29	26	23	19	0
1.0	0	0	0	0	0	0	0	1	4	22	69	149	241	357	331	246	170	122	96	76	64	54	47	42	38	34	32	30	27	24	19	0
1.5	0	0	0	0	0	0	0	0	0	0	0	1	4	41	142	258	310	285	224	142	97	71	55	47	43	39	35	32	29	25	20	4
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	10	49	130	221	279	255	182	108	70	55	47	42	38	34	30	27	20	11
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	14	52	119	224	256	193	107	70	55	47	42	38	32	28	22	17
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	52	141	240	199	117	74	56	48	43	35	30	24	18
	IA/P = 0.50													* * * TC =0.1 HR * * *															IA/P = 0.50		
0.0	0	0	0	0	70	539	377	196	171	154	134	117	108	99	89	83	77	72	67	61	59	56	51	46	43	42	40	38	34	30	28	0
.10	0	0	0	0	47	375	376	256	199	169	146	126	114	102	92	85	79	73	68	62	59	56	52	47	43	42	40	38	34	30	28	0
.20	0	0	0	0	0	31	260	338	283	227	189	160	138	112	99	90	83	77	72	64	60	57	53	48	44	42	41	39	35	30	28	0
.30	0	0	0	0	0	0	21	180	285	284	246	208	176	131	110	97	88	82	76	68	62	59	54	50	45	43	41	39	36	31	28	0
.40	0	0	0	0	0	0	14	125	232	266	253	223	192	142	115	100	91	83	77	69	63	59	55	50	45	43	41	40	36	31	28	0
.50	0	0	0	0	0	0	9	86	183	239	248	231	205	154	122	104	93	85	79	71	64	59	55	51	46	43	41	40	36	32	28	0
.75	0	0	0	0	0	0	3	31	87	147	190	211	213	184	147	121	103	92	84	75	67	61	57	52	47	44	42	40	37	32	28	0
1.0	0	0	0	0	0	0	0	0	1	13	45	92	141	205	197	165	134	112	98	84	75	65	57	55	50	46	43	41	38	34	28	0
1.5	0	0	0	0	0	0	0	0	0	0	0	2	9	51	118	170	183	167	143	111	92	77	65	59	54	50	45	43	39	35	28	2
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	15	51	103	148	168	156	127	96	76	65	58	54	49	45	41	37	29	12
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	31	69	131	159	140	101	78	66	59	54	50	43	39	31	24
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	46	101	151	134	99	77	65	59	54	45	41	33	26
	RAINFALL TYPE = II													* * * TC = 0.1 HR * * *															SHEET 1 OF 10		

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
		IA/P = 0.10												* * * TC =0.2 HR * * *																	IA/P = 0.10	
0.0	23	31	47	209	403	739	800	481	250	166	128	102	86	70	61	54	49	44	40	35	33	30	27	24	21	20	19	18	16	13	12	0
.10	19	26	39	86	168	325	601	733	565	355	229	161	122	83	69	59	53	47	43	37	34	31	28	25	22	21	19	18	16	14	12	0
.20	17	23	32	49	74	136	262	488	652	594	435	298	207	115	81	67	58	51	46	40	35	32	29	26	23	21	20	19	16	14	12	0
.30	16	22	30	46	64	112	212	396	566	585	485	360	258	139	90	71	60	53	48	41	36	32	29	26	23	21	20	19	16	14	12	0
.40	14	19	25	37	43	57	94	173	322	485	551	507	409	227	129	87	68	58	52	44	38	33	30	27	24	21	20	19	17	14	12	0
.50	13	18	24	35	40	52	80	142	262	410	504	506	441	269	153	98	73	61	53	45	39	34	30	27	24	22	20	19	17	15	12	0
.75	10	13	17	23	26	30	34	40	55	86	150	247	349	438	360	240	151	101	75	57	47	39	33	29	26	23	21	20	18	15	12	0
1.0	9	11	14	19	21	24	26	30	35	44	62	101	167	337	413	353	245	157	104	68	53	42	35	31	28	24	22	20	18	16	12	0
1.5	6	8	10	13	14	15	17	19	21	23	26	30	37	73	166	288	356	337	264	154	91	57	42	35	30	27	24	22	19	17	13	3
2.0	4	5	7	8	9	10	10	11	12	14	15	16	18	23	31	55	114	206	291	324	239	125	63	44	35	31	28	24	20	18	14	9
2.5	3	4	5	6	6	7	7	8	9	9	10	11	12	15	18	22	32	58	111	227	298	246	122	63	43	35	31	27	22	19	15	11
3.0	1	2	3	4	4	4	5	5	6	6	7	7	8	9	11	13	16	19	27	59	138	280	248	137	70	46	36	31	25	21	16	11
		IA/P = 0.30												* * * TC =0.2 HR * * *																	IA/P = 0.30	
0.0	0	0	0	39	180	545	697	497	276	198	158	130	110	93	81	73	67	61	56	49	46	43	39	35	32	30	29	27	24	21	19	0
.10	0	0	0	2	27	129	407	600	532	361	252	190	150	108	90	79	71	65	59	52	48	44	41	36	32	31	29	28	25	21	19	0
.20	0	0	0	2	19	92	302	501	521	415	306	228	176	119	95	82	73	67	61	53	48	45	41	37	33	31	29	28	25	21	19	0
.30	0	0	0	0	1	13	66	223	408	484	438	350	269	163	114	93	80	72	65	57	51	46	42	38	34	31	30	28	25	22	19	0
.40	0	0	0	0	1	9	47	164	327	431	436	379	306	189	127	98	83	74	67	58	52	47	43	38	34	31	30	28	25	22	19	0
.50	0	0	0	0	0	0	6	33	120	258	374	415	391	271	173	121	95	81	72	62	55	48	44	40	35	32	30	29	26	22	19	0
.75	0	0	0	0	0	0	2	13	50	126	221	302	348	323	240	167	121	96	81	68	59	50	45	41	37	33	31	29	26	23	19	0
1.0	0	0	0	0	0	0	0	0	1	6	24	69	139	285	331	280	204	145	109	82	68	56	48	43	39	35	32	30	27	24	19	0
1.5	0	0	0	0	0	0	0	0	0	0	0	0	1	16	79	186	271	288	247	165	110	76	58	49	44	40	35	32	29	26	20	5
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	24	80	163	235	262	202	123	76	58	49	43	39	35	30	27	21	13
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	28	77	179	242	207	120	75	57	48	43	39	32	29	22	17
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	30	101	207	227	130	80	59	49	44	35	30	24	18
		IA/P = 0.50												* * * TC =0.2 HR * * *																	IA/P = 0.50	
0.0	0	0	0	0	7	98	371	322	221	182	158	137	120	104	94	86	80	74	69	62	60	57	52	47	44	42	40	39	35	30	25	0
.10	0	0	0	0	4	67	270	305	249	204	174	149	130	108	97	88	82	76	71	64	60	57	53	48	44	42	41	39	35	30	28	0
.20	0	0	0	0	0	3	45	195	268	255	221	189	163	125	106	95	87	80	75	67	62	58	54	49	45	43	41	39	35	31	28	0
.30	0	0	0	0	0	2	31	140	226	245	229	203	176	134	111	98	89	82	76	68	62	59	55	50	45	43	41	39	36	31	28	0
.40	0	0	0	0	0	1	21	101	184	225	228	211	188	144	117	101	91	84	78	69	63	59	55	50	45	43	41	40	36	31	28	0
.50	0	0	0	0	0	0	1	14	72	146	199	218	213	175	137	113	99	89	82	73	66	60	56	52	47	43	42	40	36	32	28	0
.75	0	0	0	0	0	0	0	5	28	71	121	162	186	193	161	133	112	98	88	78	70	62	57	53	48	44	42	41	37	33	28	0
1.0	0	0	0	0	0	0	0	0	0	2	13	38	77	154	186	174	147	122	105	89	78	68	60	56	51	46	43	42	38	34	28	0
1.5	0	0	0	0	0	0	0	0	0	0	0	0	2	22	71	129	163	168	150	120	98	80	67	60	55	51	46	43	40	36	28	4
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	25	65	112	146	157	134	103	79	67	60	55	50	46	41	38	29	14
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	26	60	117	148	136	101	79	66	59	54	50	43	39	31	24
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	9	40	90	142	130	99	78	66	59	54	45	41	33	26
		RAINFALL TYPE = II												* * * TC = 0.2 HR * * *																	SHEET 2 OF 10	

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
IA/P = 0.10														* * * TC =0.3 HR * * *																	IA/P = 0.10
0.0	20	28	41	118	235	447	676	676	459	283	196	146	114	80	66	57	51	46	42	37	33	31	28	24	22	20	19	18	16	13	12	0
.10	19	26	39	99	189	361	571	641	520	362	251	181	136	89	70	60	53	48	43	37	34	31	28	25	22	21	19	18	16	14	12	0
.20	17	23	32	53	83	154	292	478	587	542	422	308	223	127	86	68	58	52	46	40	35	32	29	26	23	21	20	19	16	14	12	0
.30	16	22	30	49	72	127	237	398	524	536	460	359	268	151	97	73	61	53	48	41	36	32	29	26	23	21	20	19	16	14	12	0
.40	14	19	25	37	45	63	105	193	330	459	510	477	398	237	139	92	70	59	52	44	38	34	30	27	24	21	20	19	17	14	12	0
.50	13	18	24	35	42	56	89	158	272	397	472	475	424	274	163	104	76	62	54	46	39	34	30	27	24	22	20	19	17	15	12	0
.75	11	14	19	26	30	34	42	59	95	160	250	339	417	398	299	196	128	89	69	54	45	37	32	29	26	23	21	20	17	15	12	0
1.0	9	11	14	19	21	24	27	30	36	46	68	109	174	328	396	346	248	163	109	70	54	43	35	31	28	24	22	20	13	16	12	0
1.5	6	8	10	13	14	15	17	19	21	23	26	31	38	77	169	282	347	330	264	158	94	58	42	35	31	27	24	22	19	17	13	3
2.0	4	5	7	8	9	10	10	11	12	14	15	16	18	23	32	57	116	205	285	317	239	128	64	44	36	31	28	25	20	18	14	9
2.5	2	4	5	6	6	7	7	8	9	9	10	11	12	15	18	23	33	60	113	223	293	245	125	65	44	35	31	27	22	19	15	11
3.0	1	2	3	4	4	4	5	5	6	6	7	7	8	9	11	13	16	20	27	61	138	275	246	139	72	46	36	31	25	21	16	11
IA/P = 0.30														* * * TC =0.3 HR * * *																	IA/P = 0.30
0.0	0	0	0	11	64	251	525	574	454	303	221	173	140	104	88	77	70	64	58	51	47	44	40	36	32	31	29	28	24	21	19	0
.10	0	0	0	7	45	183	411	520	476	360	268	205	133	101	85	76	69	62	55	49	45	41	37	33	31	30	28	25	21	19	0
.20	0	0	0	0	5	32	132	318	452	468	396	310	240	151	109	90	78	70	64	56	50	46	42	38	33	31	30	28	25	22	19	0
.30	0	0	0	0	0	3	22	96	244	383	440	411	344	217	142	105	87	76	69	60	53	47	43	39	35	32	30	29	26	22	19	0
.40	0	0	0	0	0	2	16	69	186	317	399	407	365	246	160	115	92	79	71	61	54	48	43	39	35	32	30	29	26	22	19	0
.50	0	0	0	0	0	0	2	11	50	140	258	352	389	327	223	149	110	89	77	66	57	50	45	41	36	33	31	29	26	23	19	0
.75	0	0	0	0	0	0	1	4	20	63	135	219	290	335	281	205	146	110	89	72	62	52	46	42	38	34	31	30	27	23	19	0
1.0	0	0	0	0	0	0	0	0	0	2	9	32	78	216	320	306	243	176	128	90	72	59	49	44	40	36	33	31	28	24	19	1
1.5	0	0	0	0	0	0	0	0	0	0	0	0	2	20	84	185	264	281	246	168	112	77	58	49	44	40	36	32	29	26	20	5
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	12	50	121	200	257	224	141	83	61	50	44	40	36	31	28	21	14
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	16	51	145	239	223	137	82	60	50	44	40	33	29	22	17
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	19	74	184	224	146	89	63	51	45	36	31	24	18
IA/P = 0.50														* * * TC =0.3 HR * * *																	IA/P = 0.50
0.0	0	0	0	0	1	25	151	299	277	219	187	162	141	113	100	90	84	78	72	65	61	58	53	48	44	42	41	39	35	31	28	0
.10	0	0	0	0	1	17	106	235	263	234	202	175	152	120	104	93	85	79	73	66	61	58	54	49	44	42	41	39	35	31	28	0
.20	0	0	0	0	0	0	12	75	182	236	234	213	188	144	116	101	91	84	78	70	63	59	55	50	45	43	41	40	36	31	28	0
.30	0	0	0	0	0	0	8	52	138	203	224	217	197	154	123	105	94	86	79	71	64	59	55	51	46	43	42	40	36	32	28	0
.40	0	0	0	0	0	0	5	37	105	170	206	213	203	164	131	110	97	88	81	72	65	60	56	51	46	43	42	40	36	32	28	0
.50	0	0	0	0	0	0	0	4	26	78	140	184	203	191	155	126	107	95	86	76	69	62	57	53	48	44	42	41	37	33	28	0
.75	0	0	0	0	0	0	0	1	10	34	73	117	153	184	173	146	122	105	94	82	73	64	58	54	49	45	43	41	37	33	28	0
1.0	0	0	0	0	0	0	0	0	0	0	4	17	42	114	168	178	159	134	114	94	82	70	61	57	52	47	44	42	39	35	28	0
1.5	0	0	0	0	0	0	0	0	0	0	0	0	1	10	44	98	144	163	157	130	105	84	69	61	56	52	47	44	40	36	29	6
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	14	44	87	127	153	141	110	83	69	61	56	51	47	42	38	30	17
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	16	42	97	138	145	107	82	68	60	55	51	43	40	32	25
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	27	71	127	139	105	81	68	60	55	46	41	33	27
RAINFALL TYPE = II														* * * TC = 0.3 HR * * *																	SHEET 3 OF 10

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.3	11.9	12.1	12.3	12.5	12.7	13.0	13.4	13.8	14.3	15.0	16.0	17.0	18.0	20.0	26.0															
	11.0	11.6	12.0	12.2	12.4	12.6	12.8	13.2	13.6	14.0	14.6	15.5	16.5	17.5	19.0	22.0															
	IA/P = 0.10							* * * TC =0.4 HR * * *								IA/P = 0.10														
0.0	18	25	36	77	141	271	468	592	574	431	298	216	163	104	77	63	55	49	44	38	34	31	28	25	22	21	20	18	16	14	12	0
.10	18	24	34	67	116	219	385	523	557	473	357	263	196	119	84	67	57	51	46	39	35	32	29	25	22	21	20	19	16	14	12	0
.20	15	20	28	44	59	97	179	316	454	523	489	401	309	178	112	81	65	56	49	42	37	33	30	26	23	21	20	19	17	14	12	0
.30	15	20	27	41	53	82	147	260	389	478	486	429	349	210	129	89	69	58	51	43	38	33	30	27	24	21	20	19	17	14	12	0
.40	13	17	23	33	38	48	71	121	214	331	429	467	442	308	189	120	85	66	56	47	41	35	31	28	24	22	20	19	17	15	12	0
.50	12	16	22	31	36	44	62	102	176	279	379	438	440	339	218	137	94	71	59	49	42	35	31	28	25	22	21	19	17	15	12	0
.75	10	13	17	24	26	30	35	45	65	106	170	251	326	393	341	245	164	112	81	59	48	39	33	30	26	23	21	20	18	15	12	0
1.0	8	10	13	17	19	21	24	27	31	37	50	75	118	251	360	376	292	205	138	83	60	45	36	32	28	25	22	21	18	16	12	1
1.5	6	7	9	12	13	14	15	17	19	21	23	26	31	56	121	224	311	333	293	192	115	66	45	36	31	28	25	22	19	17	13	4
2.0	4	5	6	8	8	9	10	10	11	12	14	15	16	20	27	43	85	159	243	306	264	154	74	47	37	32	28	25	21	18	14	9
2.5	2	3	4	5	6	6	7	7	8	9	9	10	11	13	16	20	27	46	85	184	285	262	147	74	47	37	32	28	22	19	15	11
3.0	1	2	2	3	4	4	4	5	5	6	6	7	7	8	10	12	14	17	23	47	109	227	268	160	83	50	38	32	25	21	16	11
	IA/P = 0.30							* * * TC =0.4 HR * * *								IA/P = 0.30														
0.0	0	0	0	4	26	113	296	480	495	413	306	234	186	127	100	84	74	67	61	54	49	45	41	37	33	31	29	28	25	21	19	0
.10	0	0	0	0	2	18	81	224	395	462	430	347	272	172	121	96	82	73	66	57	51	46	42	38	34	31	30	28	25	22	19	0
.20	0	0	0	0	2	13	59	169	320	414	424	373	305	196	134	103	85	75	67	59	52	47	43	39	34	32	30	29	25	22	19	0
.30	0	0	0	0	0	1	9	42	127	255	361	403	383	274	181	127	99	83	73	63	55	48	44	40	36	32	30	29	26	23	19	0
.40	0	0	0	0	0	1	6	30	94	202	308	372	379	298	203	141	106	87	76	65	56	49	44	40	36	32	31	29	26	23	19	0
.50	0	0	0	0	0	0	0	4	21	70	158	258	334	364	270	187	133	102	85	70	60	51	46	41	37	33	31	30	26	23	19	0
.75	0	0	0	0	0	0	0	2	8	30	76	145	219	321	305	241	177	130	102	78	65	55	47	43	38	34	32	30	27	24	19	0
1.0	0	0	0	0	0	0	0	0	0	1	4	15	42	150	267	308	272	209	154	103	79	62	51	45	41	37	33	31	28	25	19	1
1.5	0	0	0	0	0	0	0	0	0	0	0	0	1	10	51	136	226	274	263	195	131	85	62	51	45	41	36	33	29	26	20	6
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	31	86	162	252	239	162	93	64	52	45	41	37	31	28	21	15
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	33	112	202	235	155	92	64	52	45	41	33	29	23	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	21	76	182	221	148	90	63	51	45	36	31	24	18
	IA/P = 0.50							* * * TC =0.4 HR * * *								IA/P = 0.50														
0.0	0	0	0	0	0	7	59	168	245	257	213	186	163	128	109	96	88	81	75	67	62	58	54	50	45	43	41	39	35	31	28	0
.10	0	0	0	0	0	0	5	41	125	205	240	222	198	154	123	106	94	86	79	71	64	60	56	51	46	43	42	40	36	32	28	0
.20	0	0	0	0	0	0	3	28	93	168	216	220	205	164	131	110	97	88	81	72	65	60	56	51	46	43	42	40	36	32	28	0
.30	0	0	0	0	0	0	0	2	20	69	135	189	209	192	155	126	107	95	86	77	69	62	57	53	48	44	42	41	37	33	28	0
.40	0	0	0	0	0	0	0	1	14	50	106	161	193	202	163	133	112	98	89	78	70	62	58	53	48	44	42	41	37	33	28	0
.50	0	0	0	0	0	0	0	1	9	37	83	135	174	194	171	140	117	102	91	80	71	63	58	54	49	45	43	41	37	33	28	0
.75	0	0	0	0	0	0	0	0	0	3	15	40	76	147	177	169	146	124	107	90	79	68	60	56	51	47	43	42	38	34	28	0
1.0	0	0	0	0	0	0	0	0	0	0	1	7	21	78	141	173	167	146	125	101	86	73	63	58	53	48	45	42	39	35	28	1
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	5	26	71	121	153	159	139	113	89	72	63	57	53	48	44	40	37	29	7
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	16	45	86	138	150	125	93	74	64	58	53	48	42	39	31	20
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	17	59	112	143	121	91	73	63	57	53	45	40	32	26
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	11	40	101	138	117	90	73	63	57	48	42	34	27
	RAINFALL TYPE = II							* * * TC = 0.4 HR * * *								SHEET 4 OF 10														

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.3	11.9	12.1	12.3	12.5	12.7	13.0	13.4	13.8	14.3	15.0	16.0	17.0	18.0	20.0	26.0															
	11.0	11.6	12.0	12.2	12.4	12.6	12.8	13.2	13.6	14.0	14.6	15.5	16.5	17.5	19.0	22.0															
	IA/P = 0.10							* * * TC =0.5 HR * * *									IA/P = 0.10														
0.0	17	23	32	57	94	170	308	467	529	507	402	297	226	140	96	74	61	53	47	41	36	32	29	26	23	21	20	19	16	14	12	0
.10	16	22	30	51	80	140	252	395	484	499	434	343	265	162	108	80	65	55	49	42	36	33	29	26	23	21	20	19	16	14	12	0
.20	14	19	25	38	47	69	116	207	332	434	477	449	378	238	149	101	77	62	53	45	39	34	30	27	24	22	20	19	17	14	12	0
.30	13	18	24	35	43	60	97	170	278	382	446	448	401	270	171	114	83	66	56	46	40	34	31	27	24	22	20	19	17	15	12	0
.40	12	15	21	29	33	40	53	83	141	233	332	408	434	361	243	157	107	79	64	51	43	36	32	28	25	22	21	20	17	15	12	0
.50	11	15	20	28	31	37	48	71	118	194	286	367	412	378	271	178	119	86	68	53	44	37	32	29	25	23	21	20	17	15	12	0
.75	9	11	14	19	21	24	27	31	37	49	74	118	182	319	374	328	244	169	117	76	56	43	35	31	28	25	22	21	18	16	12	1
1.0	7	9	12	16	17	19	21	24	27	32	40	55	83	188	309	359	322	245	172	102	68	49	38	32	29	26	23	21	19	16	12	1
1.5	5	7	8	11	12	13	14	15	17	19	21	23	27	43	89	175	269	322	309	225	140	77	49	38	32	29	25	23	20	17	13	5
2.0	3	4	6	7	8	8	9	10	10	11	12	14	15	18	23	35	65	123	202	297	280	181	88	52	39	33	29	26	21	19	14	10
2.5	2	3	4	5	5	6	6	7	7	8	9	9	10	12	15	18	24	36	66	150	244	278	171	87	52	39	33	29	23	20	15	11
3.0	1	1	2	3	3	4	4	4	5	5	6	6	7	8	9	11	13	16	20	37	86	198	263	182	96	56	40	33	26	21	16	11
	IA/P = 0.30							* * * TC =0.5 HR * * *									IA/P = 0.30														
0.0	0	0	0	1	9	53	157	314	433	439	379	299	237	159	118	95	81	71	65	56	50	46	42	38	34	31	30	28	25	22	19	0
.10	0	0	0	0	1	6	37	117	248	372	416	391	330	218	150	113	92	79	70	60	53	47	43	39	35	32	30	29	26	22	19	0
.20	0	0	0	0	1	4	26	87	194	313	392	388	349	244	167	122	97	82	72	62	54	48	43	39	35	32	30	29	26	22	19	0
.30	0	0	0	0	0	0	3	19	64	151	259	341	372	316	223	156	117	94	80	67	58	50	45	41	36	33	31	29	26	23	19	0
.40	0	0	0	0	0	0	2	13	47	116	211	298	354	328	245	172	127	100	83	69	59	51	45	41	37	33	31	29	26	23	19	0
.50	0	0	0	0	0	0	1	9	34	89	170	255	341	303	225	161	120	96	76	64	54	47	42	38	34	31	30	27	24	19	0
.75	0	0	0	0	0	0	0	1	4	14	41	89	152	270	305	268	207	155	118	87	70	57	48	44	39	35	32	30	27	24	19	0
1.0	0	0	0	0	0	0	0	0	0	0	2	7	22	98	212	295	285	237	181	120	88	67	53	46	42	38	34	31	28	25	19	2
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	5	30	95	183	249	265	217	152	96	66	53	46	41	37	34	30	26	20	8
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	18	59	125	221	245	182	105	69	54	47	42	38	32	28	22	16
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	21	84	174	230	172	103	69	54	46	42	34	30	23	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	13	56	157	217	163	101	68	53	46	37	31	25	18
	IA/P = 0.50							* * * TC =0.5 HR * * *									IA/P = 0.50														
0.0	0	0	0	0	0	2	26	89	170	217	229	200	179	144	119	104	93	85	78	70	64	59	55	51	46	43	41	40	36	32	28	0
.10	0	0	0	0	0	0	1	18	65	135	190	216	205	170	137	115	101	91	83	74	67	61	56	52	47	44	42	40	36	32	28	0
.20	0	0	0	0	0	0	1	12	47	106	162	198	203	178	145	121	105	94	85	76	68	61	57	52	48	44	42	40	37	32	28	0
.30	0	0	0	0	0	0	0	1	8	34	82	135	177	194	168	139	117	102	92	80	71	63	58	54	49	45	43	41	37	33	28	0
.40	0	0	0	0	0	0	0	0	6	25	63	111	155	189	174	146	122	106	94	82	73	64	58	54	50	45	43	41	37	33	28	0
.50	0	0	0	0	0	0	0	0	4	18	48	90	133	184	177	152	128	110	97	84	74	65	59	55	50	45	43	41	38	33	28	0
.75	0	0	0	0	0	0	0	0	1	7	22	47	80	142	169	164	144	124	108	91	79	68	61	56	51	47	44	42	38	34	28	0
1.0	0	0	0	0	0	0	0	0	0	0	1	3	11	51	112	155	166	154	134	109	91	76	65	59	54	49	45	43	39	35	28	2
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	16	50	97	136	154	145	121	95	75	64	58	54	49	45	41	37	29	10
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	18	47	86	134	146	125	94	75	64	58	53	49	42	39	31	21
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	11	44	95	140	127	97	77	65	58	54	45	41	33	26
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	29	86	135	122	95	76	65	58	49	43	35	27
	RAINFALL TYPE = II							* * * TC = 0.5 HR * * *									SHEET 5 OF 10														

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =0.75 HR * * *																	IA/P = 0.10
0.0	13	18	24	36	46	68	115	194	294	380	424	410	369	252	172	123	93	74	61	49	41	35	31	27	24	22	20	19	17	15	12	0
.10	13	17	23	34	42	59	97	162	250	337	395	405	381	279	191	135	100	79	65	51	42	36	31	28	25	22	21	19	17	15	12	0
.20	11	15	20	28	32	39	52	82	135	211	295	362	391	351	255	178	127	95	75	57	46	38	32	29	26	23	21	20	17	15	12	0
.30	11	14	19	26	30	36	47	70	113	179	256	326	379	360	277	196	140	103	80	60	48	38	33	29	26	23	21	20	18	15	12	0
.40	10	12	16	22	25	28	33	42	61	96	151	221	291	367	336	255	182	131	98	69	54	42	34	30	27	24	22	20	18	16	12	0
.50	9	12	16	21	24	27	31	39	53	82	128	190	258	358	343	274	200	144	106	74	56	43	35	30	27	24	22	20	18	16	12	0
.75	8	10	13	17	18	21	23	26	31	39	55	82	122	230	314	329	281	217	161	104	72	51	38	33	29	26	23	21	19	16	12	1
1.0	6	8	10	13	14	15	17	19	21	23	27	32	42	89	177	272	319	303	249	163	105	66	45	36	31	27	24	22	19	17	13	3
1.5	4	6	7	9	10	10	11	12	14	15	16	18	20	27	46	90	163	241	295	275	204	119	66	45	35	31	27	24	20	18	13	7
2.0	3	4	5	6	7	7	8	9	9	10	11	12	13	16	20	28	48	89	151	245	274	213	115	65	44	35	30	27	22	19	14	10
2.5	1	2	3	4	4	5	5	6	6	7	7	8	8	10	12	14	17	24	37	86	170	260	219	127	71	47	36	31	24	20	16	11
3.0	1	1	2	3	3	3	4	4	4	5	5	5	6	7	8	10	11	14	17	30	64	157	247	205	122	70	46	36	27	22	17	12
	IA/P = 0.30													* * * TC =0.75 HR * * *																	IA/P = 0.30
0.0	0	0	0	0	1	6	30	86	174	266	326	348	328	246	181	138	110	92	79	66	57	49	44	40	36	32	31	29	26	23	19	0
.10	0	0	0	0	0	1	4	22	65	137	223	292	329	303	228	170	131	106	89	73	61	52	46	41	37	33	31	29	26	23	19	0
.20	0	0	0	0	0	0	3	15	48	108	185	256	305	321	245	184	141	112	93	75	63	53	46	42	37	34	31	30	27	23	19	0
.30	0	0	0	0	0	0	2	11	36	84	151	221	277	308	260	199	152	120	98	78	65	54	47	42	38	34	31	30	27	23	19	0
.40	0	0	0	0	0	0	0	1	8	27	65	122	188	286	301	243	187	144	114	87	71	57	48	43	39	35	32	30	27	24	19	1
.50	0	0	0	0	0	0	1	6	20	50	98	158	263	292	254	200	155	122	91	74	59	49	44	40	35	32	30	27	24	19	1
.75	0	0	0	0	0	0	0	0	0	2	8	23	51	140	231	269	253	211	167	119	90	68	53	46	42	37	34	31	28	25	19	2
1.0	0	0	0	0	0	0	0	0	0	0	0	1	4	29	96	186	249	261	231	169	120	84	61	50	44	40	36	33	29	26	20	5
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	34	91	163	220	241	197	131	83	61	50	44	40	35	31	27	21	12
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	36	85	174	226	200	127	82	60	49	44	39	32	29	22	17
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	37	105	196	214	135	87	62	51	44	36	31	24	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	24	96	205	189	130	85	62	50	39	32	26	18
	IA/P = 0.50													* * * TC =0.75 HR * * *																	IA/P = 0.50
0.0	0	0	0	0	0	0	2	16	45	92	137	166	185	170	146	125	110	98	89	79	70	63	58	53	48	44	42	41	37	33	28	0
.10	0	0	0	0	0	0	0	1	11	34	73	115	149	180	163	141	122	107	96	84	74	65	59	54	50	45	43	41	38	33	28	0
.20	0	0	0	0	0	0	0	1	8	25	57	96	131	173	166	146	126	111	99	86	76	66	59	55	50	46	43	41	38	34	28	0
.30	0	0	0	0	0	0	0	0	1	5	18	44	79	143	170	160	141	122	108	92	81	69	61	56	52	47	44	42	38	34	28	1
.40	0	0	0	0	0	0	0	0	0	4	14	34	64	127	166	162	145	127	111	95	82	70	62	57	52	47	44	42	38	34	28	1
.50	0	0	0	0	0	0	0	0	0	0	2	10	26	82	138	162	157	140	123	103	88	75	64	58	53	49	45	43	39	35	28	2
.75	0	0	0	0	0	0	0	0	0	0	1	4	12	47	98	139	154	148	135	113	96	80	67	60	55	50	46	43	39	36	29	3
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	30	73	119	146	151	134	113	91	74	63	58	53	48	45	41	37	29	7
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	30	66	105	143	143	117	90	73	63	57	52	48	42	39	30	18
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	30	77	121	137	114	88	72	63	57	52	44	40	32	25
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	19	55	111	132	111	87	71	62	56	47	42	34	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	12	51	112	128	108	86	71	62	51	44	36	27
	RAINFALL TYPE = II													* * * TC = 0.75 HR * * *																	SHEET 6 OF 10

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																														
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =1.0 HR * * *																IA/P = 0.10	
0.0	11	15	20	29	35	47	72	112	168	231	289	329	357	313	239	175	133	103	83	63	50	40	33	29	26	23	21	20	17	15	12	0
.10	10	13	17	24	27	33	42	62	95	144	202	260	306	340	293	222	165	126	98	72	56	43	35	30	27	24	22	20	18	15	12	0
.20	10	13	17	23	26	30	38	54	82	123	176	232	281	332	303	238	179	136	105	76	59	45	35	30	27	24	22	20	18	16	12	1
.30	9	12	16	22	24	28	35	48	70	105	152	205	256	323	310	254	193	146	113	81	61	46	36	31	27	24	22	20	18	16	12	1
.40	8	11	14	19	21	23	27	32	42	61	91	132	181	276	318	294	237	181	138	95	70	51	39	32	28	25	23	21	18	16	12	1
.50	8	10	13	18	20	22	25	30	38	53	78	114	159	253	311	300	251	195	149	102	74	53	40	33	29	25	23	21	18	16	12	1
.75	7	8	11	14	16	17	19	21	25	30	38	53	76	146	228	284	293	256	208	143	99	66	46	36	31	27	24	22	19	17	13	2
1.0	5	7	8	11	12	13	14	16	17	19	22	25	31	57	111	188	256	286	272	208	144	90	56	41	33	29	26	23	20	17	13	4
1.5	4	5	6	8	8	9	10	11	12	13	14	15	17	22	33	59	107	171	231	268	235	157	88	56	41	33	29	25	21	18	14	8
2.0	2	3	4	5	5	6	6	7	7	8	9	9	10	12	15	19	27	44	78	157	231	252	167	96	59	42	34	29	23	20	15	11
2.5	1	2	2	3	4	4	4	5	5	6	6	7	7	8	10	12	15	19	27	58	120	214	241	159	94	59	42	34	26	21	16	11
3.0	0	1	1	2	2	3	3	3	4	4	4	5	5	6	7	8	10	12	14	22	44	113	214	231	152	91	58	42	29	23	17	12
	IA/P = 0.30													* * * TC =1.0 HR * * *																IA/P = 0.30	
0.0	0	0	0	0	1	4	16	42	83	137	195	243	271	292	227	178	143	117	98	79	66	55	47	42	38	34	31	30	27	23	19	0
.10	0	0	0	0	0	0	3	12	32	66	113	168	218	279	260	213	169	136	113	88	72	59	49	43	39	35	32	30	27	24	19	1
.20	0	0	0	0	0	0	2	9	24	52	93	143	193	271	271	225	180	145	119	92	75	60	50	44	39	35	32	30	27	24	19	1
.30	0	0	0	0	0	0	1	6	18	41	75	120	169	246	264	234	191	153	125	96	78	62	51	44	40	36	33	31	27	24	19	1
.40	0	0	0	0	0	0	0	1	4	14	32	61	100	190	251	259	222	181	146	109	86	67	53	46	41	37	33	31	28	25	19	2
.50	0	0	0	0	0	0	0	1	3	10	24	49	83	168	237	254	230	191	155	115	90	69	54	47	42	37	34	31	28	25	19	2
.75	0	0	0	0	0	0	0	0	0	1	4	12	25	76	150	213	239	228	198	149	112	82	61	50	44	39	35	32	29	26	20	4
1.0	0	0	0	0	0	0	0	0	0	0	0	1	2	15	51	113	182	226	234	197	150	104	72	56	47	42	38	34	30	27	20	7
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	18	51	104	162	220	210	158	102	71	56	47	42	37	31	28	22	13
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	20	49	121	187	209	152	100	70	55	47	41	34	29	23	17
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	7	32	87	171	199	146	98	69	54	46	37	31	24	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	13	62	158	192	151	103	73	56	41	34	26	18
	IA/P = 0.50													* * * TC =1.0 HR * * *																IA/P = 0.50	
0.0	0	0	0	0	0	0	1	7	21	42	71	101	126	160	154	138	123	110	100	87	77	67	60	55	50	46	43	41	38	34	28	1
.10	0	0	0	0	0	0	0	1	5	15	33	58	87	134	156	149	134	120	108	93	82	71	62	57	52	47	44	42	38	34	28	1
.20	0	0	0	0	0	0	0	1	4	12	26	48	74	123	153	153	137	123	111	95	84	72	63	57	52	47	44	42	38	34	28	1
.30	0	0	0	0	0	0	0	0	3	9	20	38	62	111	143	150	140	127	114	98	86	73	63	58	53	48	45	42	39	35	28	1
.40	0	0	0	0	0	0	0	0	0	2	6	16	31	75	120	145	148	137	123	106	91	77	66	59	54	49	45	43	39	35	29	2
.50	0	0	0	0	0	0	0	0	0	1	5	12	25	64	109	139	146	139	127	108	94	79	67	60	55	50	46	43	39	36	29	3
.75	0	0	0	0	0	0	0	0	0	0	2	5	12	39	78	115	136	140	134	117	101	84	70	62	56	51	47	44	40	36	29	4
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	26	59	96	125	139	133	117	97	78	66	59	54	49	46	41	37	29	8
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	9	26	54	86	123	133	119	95	77	66	59	54	49	43	39	31	17
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	25	64	104	129	116	93	76	65	58	53	45	41	33	24
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	10	34	84	125	117	96	78	66	59	49	43	35	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6	32	89	122	114	94	77	66	53	45	37	27
	RAINFALL TYPE = II													* * * TC = 1.0 HR * * *																SHEET 7 OF 10	

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10													* * * TC =1.25 HR * * *																	IA/P = 0.10
0.0	10	13	18	25	29	38	54	81	118	163	213	256	284	311	266	212	163	129	104	78	61	47	37	31	27	24	22	20	18	16	12	1
.10	10	13	17	23	27	34	47	69	102	143	189	234	267	297	274	226	175	138	111	82	64	48	38	31	27	24	22	20	18	16	12	1
.20	9	11	15	20	22	26	31	42	60	88	124	168	212	280	292	261	212	166	131	95	72	53	40	33	28	25	23	21	18	16	12	1
.30	8	11	14	19	21	24	29	38	53	76	108	148	190	263	288	268	224	177	140	101	76	55	41	34	29	25	23	21	18	16	12	2
.40	8	10	13	18	20	23	27	34	46	66	94	130	170	245	282	273	235	188	149	107	80	58	42	34	29	26	23	21	19	16	12	2
.50	7	9	12	16	17	19	22	25	31	41	58	82	114	190	256	279	262	222	178	127	93	65	46	36	31	27	24	22	19	17	13	2
.75	6	8	10	14	15	17	19	21	25	31	41	56	78	139	207	254	265	245	208	152	110	75	51	39	32	28	25	22	19	17	13	3
1.0	5	6	8	10	11	13	14	15	17	19	22	26	33	60	109	173	230	261	255	208	153	100	64	46	36	30	26	24	20	18	13	5
1.5	3	4	5	7	7	8	9	9	10	11	12	13	15	19	27	45	79	130	186	247	239	180	108	68	48	37	31	27	22	19	14	10
2.0	2	3	4	5	6	6	7	7	8	8	9	10	11	13	16	22	35	59	98	171	236	236	156	95	62	44	35	30	23	20	15	11
2.5	1	2	2	3	4	4	4	5	5	5	6	6	7	8	10	12	14	19	28	58	114	197	226	163	102	65	46	36	26	21	16	11
3.0	0	1	1	2	2	2	2	3	3	3	4	4	4	5	6	7	9	10	13	19	35	88	184	218	169	109	70	49	31	24	18	12
	IA/P = 0.30													* * * TC =1.25 HR * * *																	IA/P = 0.30
0.0	0	0	0	0	0	2	9	25	50	86	130	174	208	253	235	201	164	136	115	92	76	61	51	44	39	35	32	30	27	24	19	1
.10	0	0	0	0	0	0	1	6	19	40	71	110	153	217	247	227	191	157	131	103	84	66	53	46	41	36	33	31	28	24	19	2
.20	0	0	0	0	0	0	1	4	14	31	58	93	133	202	239	231	199	165	138	108	87	68	55	47	41	37	33	31	28	25	19	2
.30	0	0	0	0	0	0	0	1	3	10	24	46	77	152	210	236	222	190	158	122	97	74	58	49	43	38	34	32	28	25	20	3
.40	0	0	0	0	0	0	0	0	2	8	19	37	64	134	196	232	225	198	166	127	101	77	59	50	43	38	35	32	28	25	20	3
.50	0	0	0	0	0	0	0	0	0	2	6	14	30	82	151	206	228	217	189	146	113	85	64	52	45	40	36	33	29	26	20	5
.75	0	0	0	0	0	0	0	0	0	1	2	7	15	49	105	164	205	218	205	166	129	95	69	55	47	41	37	33	29	26	20	6
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	32	77	134	185	214	203	166	120	83	63	52	45	39	35	30	27	21	10
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	11	33	72	121	184	203	171	117	82	62	51	44	39	32	29	22	15
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	21	67	132	194	174	123	86	64	52	45	35	31	24	18
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	13	46	121	187	166	119	84	63	52	39	32	25	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	44	129	180	160	116	83	63	44	35	27	18
	IA/P = 0.50													* * * TC =1.25 HR * * *																	IA/P = 0.50
0.0	0	0	0	0	0	0	1	5	13	26	44	68	91	125	142	142	128	117	107	94	83	72	63	57	52	47	44	42	38	34	28	2
.10	0	0	0	0	0	0	0	0	3	10	20	36	57	100	129	140	136	125	114	100	88	76	65	59	54	49	45	43	39	35	29	3
.20	0	0	0	0	0	0	0	0	2	7	16	30	48	90	122	139	139	127	117	102	90	77	66	60	54	49	45	43	39	35	29	3
.30	0	0	0	0	0	0	0	0	0	2	5	12	24	59	98	126	137	134	125	109	96	82	69	61	56	51	46	44	40	36	29	4
.40	0	0	0	0	0	0	0	0	0	1	4	10	19	51	89	119	134	136	127	112	98	83	70	62	56	51	47	44	40	36	29	5
.50	0	0	0	0	0	0	0	0	0	1	3	7	15	43	79	112	131	135	129	114	100	85	71	63	57	52	47	44	40	36	29	6
.75	0	0	0	0	0	0	0	0	0	0	0	1	3	15	39	71	102	123	130	125	112	94	78	67	60	54	49	46	41	37	29	9
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	17	40	71	101	121	129	121	103	84	71	62	56	51	47	42	38	30	13
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	26	51	92	119	125	105	86	72	63	57	52	44	40	32	23
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	11	35	72	112	122	103	85	71	63	56	47	42	34	26
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	24	66	111	119	101	83	71	62	51	44	36	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	23	71	110	116	99	82	70	55	46	37	27
	RAINFALL TYPE = II													* * * TC = 1.25 HR * * *																	SHEET 8 OF 10

TRVL TIME (HR)	HYDROGRAPH TIME (HOURS)																												
	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
	IA/P = 0.10									* * * TC =1.5 HR * * *																		IA/P = 0.10		
0.0	9	11	15	21	25	31	41	58	82	112	147	184	216	255	275	236	198	159	129	98	76	57	43	35	30	25	23	21	18	16	12	1
.10	8	10	13	18	20	23	28	37	51	72	98	131	166	226	265	254	226	187	151	113	86	63	46	37	31	26	23	21	19	16	13	2
.20	8	10	13	17	19	22	26	33	45	63	87	116	149	212	259	259	233	197	160	119	90	66	48	38	32	27	24	22	19	16	13	2
.30	7	9	12	16	18	21	24	30	40	55	76	103	134	197	244	255	238	206	169	125	95	68	49	38	32	27	24	22	19	17	13	2
.40	7	8	11	14	15	17	19	23	28	36	49	67	91	151	208	247	252	230	196	146	109	77	54	41	34	29	25	22	19	17	13	3
.50	6	8	10	13	15	16	18	21	26	33	43	59	80	136	194	238	249	235	204	154	115	81	56	42	34	29	25	23	20	17	13	3
.75	5	7	8	11	12	13	14	16	18	21	25	32	42	76	125	179	222	240	233	193	148	102	67	48	38	32	27	24	20	18	13	5
1.0	4	5	7	8	9	10	11	12	13	14	16	18	22	34	59	101	152	201	236	230	193	135	86	59	44	35	30	26	21	18	14	7
1.5	3	4	5	6	6	7	8	8	9	10	11	12	13	16	22	34	58	95	141	203	226	197	131	84	58	43	35	29	23	20	15	10
2.0	1	2	3	4	4	5	5	6	6	7	7	8	9	10	12	16	22	34	56	110	172	218	187	126	82	57	43	34	25	21	16	11
2.5	1	1	2	2	3	3	3	4	4	4	5	5	6	7	8	9	11	14	18	34	69	141	210	190	133	87	60	44	30	23	17	12
3.0	0	0	1	1	2	2	2	2	3	3	3	3	4	5	5	6	8	9	11	16	27	66	149	204	181	128	85	58	35	25	18	12
	IA/P = 0.30									* * * TC =1.5 HR * * *																		IA/P = 0.30		
0.0	0	0	0	0	0	1	6	15	31	53	80	112	144	193	225	208	186	157	134	108	89	70	56	48	42	37	34	31	28	25	20	2
.10	0	0	0	0	0	1	4	12	25	43	68	97	157	198	219	203	178	151	120	98	77	60	50	44	38	35	32	28	25	20	3
.20	0	0	0	0	0	0	1	3	9	19	35	57	114	168	201	213	196	171	135	108	84	64	53	46	40	36	33	29	26	20	4
.30	0	0	0	0	0	0	1	2	7	15	29	48	100	155	193	210	200	177	140	113	87	66	54	46	41	36	33	29	26	20	5
.40	0	0	0	0	0	0	0	0	2	5	12	23	39	87	141	184	207	202	182	146	117	89	68	55	47	41	36	33	29	26	20	5
.50	0	0	0	0	0	0	0	0	0	1	4	9	18	51	101	153	190	205	197	164	131	99	73	58	49	43	38	34	30	26	20	7
.75	0	0	0	0	0	0	0	0	0	0	2	4	9	30	68	116	160	189	197	179	147	110	80	62	52	45	39	35	30	27	21	8
1.0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	20	49	92	138	175	195	178	137	97	72	57	48	42	37	31	28	21	12
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	21	47	95	145	187	178	133	95	71	57	48	42	34	29	23	16
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	13	45	97	162	180	138	99	74	58	49	38	32	25	18
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	31	89	161	174	133	97	72	58	42	34	26	18
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	29	98	160	169	129	95	71	48	37	28	19
	IA/P = 0.50									* * * TC =1.5 HR * * *																		IA/P = 0.50		
0.0	0	0	0	0	0	0	0	3	8	16	27	42	59	92	116	128	130	121	112	100	90	78	67	60	55	50	46	43	39	35	29	4
.10	0	0	0	0	0	0	0	2	6	12	22	35	51	84	110	125	128	123	114	102	91	79	68	61	55	50	46	43	39	35	29	4
.20	0	0	0	0	0	0	0	0	1	4	10	18	29	60	91	114	126	128	120	108	97	83	71	63	57	52	47	44	40	36	29	5
.30	0	0	0	0	0	0	0	0	1	3	8	14	24	52	83	108	123	126	122	110	98	85	72	63	57	52	48	44	40	36	29	6
.40	0	0	0	0	0	0	0	0	0	1	2	6	12	31	60	90	112	124	126	116	104	90	75	66	59	54	49	45	41	37	29	8
.50	0	0	0	0	0	0	0	0	0	0	2	4	9	26	53	83	106	121	125	118	106	91	77	67	60	54	49	46	41	37	29	8
.75	0	0	0	0	0	0	0	0	0	0	1	2	5	16	36	62	88	108	119	122	112	97	81	69	62	56	51	47	42	38	30	11
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	26	49	75	98	118	121	108	90	76	66	59	54	49	43	39	31	16
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	11	25	45	80	107	118	106	89	75	65	59	53	45	41	32	23
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	11	32	63	100	115	104	87	74	65	58	48	42	34	26
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	16	48	94	113	105	89	76	66	53	45	36	27
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	15	54	96	111	103	88	75	58	48	38	28
	RAINFALL TYPE = II									* * * TC = 1.5 HR * * *																		SHEET 9 OF 10		

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

Exhibit 5-11, continued: Tabular hydrograph unit discharges (csm/in) for type II rainfall distribution.

TRVL TIME (HR)	11.0	11.3	11.6	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	13.0	13.2	13.4	13.6	13.8	14.0	14.3	14.6	15.0	15.5	16.0	16.5	17.0	17.5	18.0	19.0	20.0	22.0	26.0
		IA/P = 0.10												* * * TC =2.0 HR * * *																IA/P = 0.10		
0.0	7	9	12	16	18	21	27	36	49	64	82	104	127	171	201	226	208	193	171	132	105	79	58	45	36	30	26	23	20	17	13	3
.10	6	8	10	14	15	17	20	25	33	43	57	74	94	139	179	204	218	205	188	150	118	88	63	48	38	32	27	24	20	17	13	4
.20	6	8	10	13	14	16	19	23	29	39	51	66	84	128	169	198	213	207	192	157	123	91	65	49	39	33	28	24	20	17	13	4
.30	6	7	9	12	14	15	18	21	27	35	45	59	76	117	159	191	211	208	196	163	128	95	68	51	40	33	28	25	20	18	13	4
.40	5	6	8	11	12	13	15	17	20	24	31	41	53	87	128	167	197	209	205	180	145	106	75	55	43	35	30	26	21	18	14	5
.50	5	6	8	10	11	13	14	16	18	22	28	37	48	78	118	158	190	208	208	185	151	111	77	57	44	36	30	26	21	18	14	5
.75	4	6	7	9	10	11	12	13	15	18	22	27	35	58	91	129	164	191	202	194	167	125	87	63	48	38	32	27	22	18	14	6
1.0	3	4	6	7	8	8	9	10	11	12	14	16	18	28	46	74	110	147	178	201	193	156	108	76	56	43	35	30	23	19	14	8
1.5	2	3	3	5	5	5	6	6	7	8	8	9	10	12	16	23	36	57	86	137	178	195	160	113	79	58	45	36	26	21	16	11
2.0	1	2	2	3	3	4	4	4	5	5	6	6	7	8	10	12	16	23	35	67	112	169	190	154	110	78	57	44	30	23	17	11
2.5	0	1	1	2	2	2	3	3	3	4	4	4	5	6	7	8	9	12	16	28	52	105	170	185	149	107	76	56	35	26	18	12
3.0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	4	5	6	7	8	12	18	41	99	161	180	152	112	80	45	30	19	12
		IA/P = 0.30												* * * TC =2.0 HR * * *																IA/P = 0.30		
0.0	0	0	0	0	0	1	3	8	15	25	38	54	74	115	148	168	185	170	159	131	110	89	70	57	49	42	38	34	29	26	20	5
.10	0	0	0	0	0	0	0	2	6	12	21	32	47	85	124	153	169	180	168	145	120	96	75	60	51	44	39	35	30	26	20	6
.20	0	0	0	0	0	0	0	2	4	10	17	27	41	75	114	146	165	175	170	149	124	99	76	62	52	45	39	35	30	27	21	6
.30	0	0	0	0	0	0	0	0	1	3	7	14	23	49	86	122	151	170	174	160	136	107	82	66	54	47	41	37	31	27	21	8
.40	0	0	0	0	0	0	0	0	1	2	6	11	19	43	77	113	144	165	173	163	140	111	85	67	55	47	41	37	31	27	21	8
.50	0	0	0	0	0	0	0	0	1	2	4	9	16	37	68	104	136	160	171	165	144	114	87	69	56	48	42	37	31	27	21	9
.75	0	0	0	0	0	0	0	0	0	0	1	2	5	15	34	62	96	127	152	167	160	132	100	77	62	52	45	40	32	28	22	11
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	10	24	48	79	111	150	166	153	118	90	71	58	49	43	34	29	23	14
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	10	24	45	88	130	161	148	115	88	70	57	48	37	31	24	17
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	10	32	68	122	157	143	113	87	68	56	42	34	26	18
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	16	51	114	153	144	116	89	70	49	38	27	19
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	15	59	118	150	140	113	88	57	42	29	19
		IA/P = 0.50												* * * TC =2.0 HR * * *																IA/P = 0.50		
0.0	0	0	0	0	0	0	0	1	4	8	13	20	28	51	73	92	104	111	112	106	97	86	75	66	60	54	49	46	41	37	30	7
.10	0	0	0	0	0	0	0	1	3	6	11	17	24	45	68	87	101	109	112	107	98	88	76	67	60	55	50	46	41	37	30	8
.20	0	0	0	0	0	0	0	1	2	5	9	14	21	40	62	82	98	107	111	108	100	89	77	68	61	55	50	47	41	37	30	8
.30	0	0	0	0	0	0	0	0	0	2	4	7	12	26	46	67	86	100	108	111	104	93	80	70	63	57	52	48	42	38	30	10
.40	0	0	0	0	0	0	0	0	0	1	3	6	10	22	41	62	81	96	106	110	105	94	81	71	63	57	52	48	42	38	30	11
.50	0	0	0	0	0	0	0	0	0	0	1	2	4	13	27	46	67	85	99	110	108	98	85	74	66	59	54	49	43	39	31	13
.75	0	0	0	0	0	0	0	0	0	0	0	1	2	7	18	33	52	71	88	104	108	102	89	77	68	61	55	50	44	39	31	15
1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	13	25	43	62	87	103	108	97	84	73	65	59	53	45	41	32	20
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	12	24	48	74	99	106	95	83	72	64	58	48	43	34	25
2.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	17	37	69	99	104	94	82	72	64	52	45	36	27
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	8	27	65	95	102	95	83	73	58	49	38	28
3.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	32	68	95	101	93	82	64	52	40	28
		RAINFALL TYPE = II												* * * TC = 2.0 HR * * *																SHEET 10 OF 10		