

Working Trees for Water Quality

***Working Trees:*
a partner in
watershed
management.**

**Agroforestry helps to
protect water quality
while achieving both
landowner and
community objectives.**



Water is a precious national resource. Often, human activities degrade the quality of the water in the streams, lakes, estuaries, wetlands and aquifers on which we depend. Pollutants from agricultural and urban sources have made many of our waters unsuitable for swimming and fishing. Excessive sedimentation, pesticides, and fertilizers are harming fish and other aquatic life. Changes in land use also have had a dramatic effect on floodwater damage and frequency. Both surface and sub-

surface drinking water supplies are being impacted by human activities.

Water quality is the end result of the individual actions of all the "neighbors" in a watershed. Rural landowners and community residents need to look beyond their own boundaries to improve water quality and coordinate water resource management.

Working Trees can help alleviate water quality and quantity problems. From upland areas down to the water's edge, *Working Trees* reduce

and slow runoff and trap pollutants in both rural and urban settings.


Working Trees means putting the right trees in the right places, and in the correct design, to do specific jobs. Land managers, community planners, and watershed residents can all use *Working Trees* to make high quality water a reality.

This brochure illustrates water resource problems and ways that *WORKING TREES FOR WATER QUALITY* are a part of the solution.


Water Resource Problems

Too much runoff

Displacement of permanent vegetation such as trees, shrubs, and grasses by annual crops or community development increases the amount of runoff into streams and lakes, as well as the speed at which those waters are delivered. This rapidly moving runoff creates flooding and transports high levels of sediments, attached pollutants, and dissolved contaminants into surface



water. Increased runoff also causes the erosion of streambanks, resulting in the degradation of aquatic habitats and the accelerated deposition of sediments into rivers and reservoirs. When rain moves quickly off the land rather than being allowed to soak into the ground, it can't recharge soil moisture or maintain groundwater base flows.




Too many pollutants

Unfortunately, contaminants in many groundwater and surface water sources exceed national health and safety standards. Non-point source pollution, the leading cause of these water quality problems, comes from both rural and urban sources:

- Fertilizers, herbicides, and insecticides from agricultural fields and urban lawns
- Nutrients and bacteria from concentrated livestock operations
- Sediment from crop lands, urban construction sites, and eroding streambanks

- Oils, antifreeze, and salts from city streets and parking lots

The problems are spilling over into our coastal marine estuary ecosystems. The cumulative effect of a little more runoff from each field or community leads to very large problems, such as the 8,000 square mile hypoxic zone in the Gulf of Mexico that develops each summer. Hypoxic conditions occur when excess nitrogen from the Mississippi River Basin enters the Gulf and triggers a biological chain reaction that depletes dissolved oxygen from the water, impairing valuable fisheries.



Fertilizers, pesticides, animal wastes, and soil sediments can enter streams, ponds, and lakes unabated when permanent vegetation is absent from upland and riparian areas.



Incorporating *Working Trees* into the landscape at strategic positions in the watershed provides ecological services that protect water resources and meet landowner objectives.

Integrated Watershed Approach

Most watersheds support a mixture of land uses, such as agriculture, forestry, and communities. An integrated watershed approach is an effective way to manage water resource issues. This approach coordinates the planning and activity of all land uses to address ecological, social, and economic concerns throughout the watershed. A linked system of upland and riparian agroforestry plantings, in conjunction with other conservation practices, can restore many ecological functions and reconnect hydrologic processes.



A. Silvopasture

Combined timber/grazing systems increase a farm's per acre income and minimize water quality problems associated with livestock waste.



B. Windbreaks

Air borne pollutants, including dust and chemicals, are trapped and filtered by windbreaks, preventing deposition into road ditches, streams, and lakes.



C. Alley Cropping

Growing agricultural crops between rows of trees can provide on-farm income from annual and long-term products, while reducing soil erosion and improving water quality.



D. Green Infrastructure

Agroforestry technologies can be adapted to help communities use vegetation to restore ecological functions to manage stormwater runoff and address rural/urban interface issues.




E. Wastewater Treatment

Rapidly growing tree species can effectively uptake excess nutrients in the runoff from irrigated fields and livestock operations, as well as from municipal and industrial wastewaters.

F. Waterbreaks and

G. Riparian Forest Buffers


Properly designed riparian buffers protect stream water quality by intercepting and filtering pollution from agricultural runoff and stabilizing stream banks. Incorporating perpendicular plantings to serve as waterbreaks can reduce flood damage on adjacent lands.



“Restoration of riparian functions along America’s waterbodies should be a national goal.”

National Academy of Sciences (2002)

Restoring Ecological Services



Reducing Flooding and Flood Damage

The leaves and branches of trees intercept rainfall, reducing their erosive energy and slowing the movement of rain water. Root growth and plant litter improve soil structure and enhance infiltration of rainfall, reducing surface runoff. Stiff stems of trees and shrubs resist and slow out-of-bank stream flow. Plant debris protects exposed soil and roots bind soil particles to resist erosion and stabilize slopes.

Shade helps to moderate water temperature.

Stems reduce the energy of flowing water.

Roots help to bind soil together.


Woody debris falls into the stream and provides food and habitat structure.

Improving Aquatic Habitat

Trees provide shade that reduces water temperature and, more importantly, prevents large and sudden temperature fluctuations. Trees supply debris to streams - large debris creates habitat structure and smaller detritus contributes to the aquatic food chain. Woody roots promote stream channel stability and permanence of habitat structure. Improved infiltration of runoff results in contaminant filtering and the gradual release of groundwater into streams, which helps maintain base flow.

Filtering Contaminants

Vegetation and plant debris slow surface runoff encouraging sediment and sediment-bound contaminants to settle before entering surface water. Root growth and plant residue improve soil structure which enhances infiltration of dissolved contaminants. Once in the soil, contaminants can be immobilized, transformed by soil microbes, or taken up by vegetation. Groundwater flowing through the root zone is also filtered by these processes. Additionally, trees can trap wind-blown dust before it enters streams and lakes.



Nutrients from runoff are stored in wood.

Water and oxygen are released into the atmosphere.

Surface water

Groundwater

Vegetation and plant residue slow runoff, encouraging deposition and infiltration.

Roots and organic matter encourage infiltration.

Vegetation helps filter surface runoff.

Contaminants and nutrients are processed by plants and microbes.