



Natural
Resources
Conservation
Service

Arizona

Basin Outlook Report

March 15, 2014



Issued by

Jason Weller
Chief
Natural Resources Conservation Service
U.S. Department of Agriculture

Released by

Keisha L. Tatem
State Conservationist
Natural Resources Conservation Service
Phoenix, Arizona

Basin Outlook Reports And Federal – State – Private Cooperative Snow Surveys

How forecasts are made

Most of the annual streamflow in Arizona originates as snowfall that has accumulated in the mountains during the winter and early spring. As the snowpack accumulates, hydrologists estimate the runoff that will occur when it melts. Measurements of snow water equivalent at selected manual snow courses and automated Snow Telemetry (SNOTEL) sites, along with precipitation and streamflow values, are used in statistical and simulation models to prepare runoff forecasts. These forecasts are coordinated between hydrologists in the Natural Resources Conservation Service (NRCS) the National Weather Service, and the Salt River Project.

Forecasts of any kind are not perfect. Streamflow forecast uncertainty arises from three primary sources: (1) uncertainty of future weather conditions, (2) uncertainty in the forecasting procedure, and (3) errors in the data. The forecast, therefore, must be interpreted not as a single value but rather as a range of values with specific probabilities of occurrence. The middle of the range is expressed by the 50% exceedance probability forecast, for which there is a 50% chance that the actual flow will be above, and a 50% chance that the actual flow will be below, this value. To describe the expected range around this 50% value, four other forecasts are provided, two smaller values (90% and 70% exceedance probability) and two larger values (30%, and 10% exceedance probability). For example, there is a 90% chance that the actual flow will be more than the 90% exceedance probability forecast.

The wider the spread among these values, the more uncertain the forecast. As the season progresses, forecasts become more accurate, primarily because a greater portion of the future weather conditions become known. This is reflected by a narrowing of the range around the 50% exceedance probability forecast. Users should take this uncertainty into consideration when making operational decisions by selecting forecasts corresponding to the level of risk they are willing to assume about the amount of water to be expected. If users anticipate receiving a lesser supply of water, or are concerned about having an adequate water supply, they may want to base their decisions on the 90% or 70% exceedance probability forecasts. On the other hand, if users anticipate receiving too much water, or are concerned about the threat of flooding, they may want to base their decisions on the 30% or 10% exceedance probability forecasts. Regardless of the forecast value users choose, they should be prepared to deal with either more or less water.



For more water supply and resource management information, contact:

Dino DeSimone
Water Supply Specialist
230 N. First Ave., Suite 509
Phoenix, AZ 85003-1706
Phone: (602) 280-8786
Email: dino.desimone@az.usda.gov

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C., 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

ARIZONA Basin Outlook Report as of March 15, 2014


SUMMARY

As of March 15, snowpack levels are well below normal in the major basins. Precipitation for the first half of March was well above normal throughout the basins. The Salt and Verde River reservoir system stands at 57 percent of capacity, while the San Carlos Reservoir is at 12 percent of capacity. The mid-month forecast calls for well below normal runoff in all major basins for the spring runoff period.

SNOWPACK

Snow water equivalent levels are well below normal in the major basins, ranging from a low of 6 percent of median in the Little Colorado River Basin to a high of 10 percent of median in the San Francisco-Upper Gila River Basin. The statewide snowpack, which includes the Chuska Mountains and San Francisco Peaks, is well below normal at 19 percent of median.

**Arizona
Snow Water Equivalent
as of March 15, 2014**




PRECIPITATION

Mountain data from NRCS SNOTEL sites and NWS Cooperator gages show that precipitation for the first half of March was well above normal in all major basins. Cumulative precipitation since October 1 is well below normal in all basins. Please refer to the precipitation bar graphs found in this report for more information on precipitation levels in the basins.

RESERVOIR STORAGE

As of March 15, the Salt and Verde River reservoir system stands at 57 percent of capacity. San Carlos Reservoir remains well below normal at 12 percent of capacity.




Key storage volumes displayed in thousands of acre-feet (x1000):

<u>Reservoir</u>	<u>Current Storage</u>	<u>Last Year Storage</u>	<u>30-Year Average</u>	<u>Storage Capacity</u>
Salt River System	1169.3	1173.5	1344.0	2025.8
Verde River System	148.9	223.3	187.1	287.4
San Carlos Reservoir	109.2	11.3	413.2	875.0
Lyman Lake	10.0	4.6	13.6	30.0
Lake Havasu	578.9	577.5	559.5	619.0
Lake Mohave	1692.9	1661.7	1692.0	1810.0
Lake Mead	12239.0	13676.0	20543.0	26159.0
Lake Powell	9551.0	11769.0	16977.0	24322.0

STREAMFLOW



As of March 15, the forecast calls for well below normal streamflow for the spring runoff period, ranging from 51 percent of median in the Verde River above Horseshoe Dam to 13 percent of median in the Little Colorado River above Lyman Lake. Despite the mid-month precipitation being well above normal for March due to the early month storm, overall precipitation is still well below normal for the water year. The mid-month streamflow forecasts take into account the well below normal water year conditions for precipitation, as well as, predictions for dry conditions to persist. Please refer to the basin forecast tables found in this report for more information regarding water supply forecasts.

Arizona Spring Streamflow Forecasts as of March 15, 2014



SALT RIVER BASIN as of March 15, 2014

Well below normal streamflow levels are forecast for the basin. In the Salt River, near Roosevelt, the forecast calls for 20% of median streamflow through May, while at Tonto Creek, the forecast calls for 25% of median streamflow through May. Snow survey measurements show the Salt snowpack to be at 9% of median.



**Salt River Basin
Midmonth Streamflow Forecasts - March 16, 2014**

SALT RIVER BASIN	Forecast Period	Forecast Exceedance Probabilities for Risk Assessment Chance that actual volume will exceed forecast					30yr Avg (KAF)
		90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	
Salt R nr Roosevelt ³	M16-MAY	21	36	40	20%	66	205
	MAR			25	22%	96	114
Tonto Ck ab Gun Ck nr Roosevelt ³	M16-MAY	0.26	1.39	3	25%	5.5	12.2
	MAR			3.5	23%	11.3	15.4



- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
- 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
- 3) Median value used in place of average

Reservoir Storage Midmonth March, 2014	Current (KAF)	Last Year (KAF)	Average (KAF)	Capacity (KAF)
SALT RIVER RESERVOIR SYSTEM	1169.3	1173.5	1344.0	2025.8
Basin-wide Total	1169.3	1173.5	1344.0	2025.8
# of reservoirs	1	1	1	1

Watershed Snowpack Analysis March 16, 2014	# of Sites	% Median	Last Year % Median
SALT RIVER BASIN	12	9%	69%

VERDE RIVER BASIN as of March 15, 2014

Well below normal streamflow levels are forecast for the basin. In the Verde River, at Horseshoe Dam, the forecast calls for 51% of median streamflow through May. Snow survey measurements show the Verde snowpack to be at 9% of median.



Verde River Basin
Midmonth Streamflow Forecasts - March 16, 2014

Forecast Exceedance Probabilities for Risk Assessment Chance that actual volume will exceed forecast

VERDE RIVER BASIN	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
Verde R bl Tangle Ck ab Horseshoe Dam ³	M16-MAY	20	22	30	51%	47	81	59
	MAR			29	49%			59


- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
- 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
- 3) Median value used in place of average

Reservoir Storage Midmonth March, 2014	Current (KAF)	Last Year (KAF)	Average (KAF)	Capacity (KAF)
VERDE RIVER RESERVOIR SYSTEM	148.9	223.3	187.1	287.4
Basin-wide Total	148.9	223.3	187.1	287.4
# of reservoirs	1	1	1	1

Watershed Snowpack Analysis March 16, 2014	# of Sites	% Median	Last Year % Median
VERDE RIVER BASIN	12	9%	93%

SAN FRANCISCO-UPPER GILA RIVER BASIN as of March 15, 2014

Well below normal streamflow levels are forecast for the basin. In the San Francisco River, at Clifton, the forecast calls for 38% of median streamflow levels through May. In the Gila River, near Solomon, the forecast calls for 30% of median streamflow levels through May. At San Carlos Reservoir, inflow to the lake is forecast at 36% of median through May. Snow survey measurements show the snowpack for this basin to be at 10% of median.



San Francisco-Upper Gila River Basin Midmonth Streamflow Forecasts - March 16, 2014

Forecast Exceedance Probabilities for Risk Assessment Chance that actual volume will exceed forecast

SAN FRANCISCO-UPPER GILA RIVER BASIN	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
Gila R at Gila ³	M16-MAY	6.2	8.8	11	42%	13.5	17.9	26
Gila R bl Blue Ck nr Virden ³	M16-MAY	3.5	7.9	12	39%	16.9	26	31
San Francisco R at Glenwood ³	M16-MAY	1.05	2.5	4	33%	6	10.1	12.1
San Francisco R at Clifton ³	M16-MAY	5	6.4	11	38%	16.8	27	29
Gila R nr Solomon ³	M16-MAY	8	12.8	21	30%	32	52	70
	MAR			12.5	33%			38
San Carlos Reservoir Inflow ³	M16-MAY	0.08	5.9	15	36%	28	56	42

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions



3) Median value used in place of average

Reservoir Storage Midmonth March, 2014	Current (KAF)	Last Year (KAF)	Average (KAF)	Capacity (KAF)
SAN CARLOS RESERVOIR	109.2	11.3	413.2	875.0
Basin-wide Total	109.2	11.3	413.2	875.0
# of reservoirs	1	1	1	1

Watershed Snowpack Analysis March 16, 2014	# of Sites	% Median	Last Year % Median
SAN FRANCISCO-UPPER GILA RIVER BASIN	11	10%	51%

LITTLE COLORADO RIVER BASIN as of March 15, 2014

Well below normal streamflow levels are forecast for the basin. In the Little Colorado River, above Lyman Lake, the forecast calls for 13% of median streamflow through June. At Blue Ridge (C.C. Cragin) Reservoir, inflow to the lake is forecast at 16% of median through May. Snowpacks along the southern headwaters of the Little Colorado River, and along the central Mogollon Rim, were measured at 6% and 1% of median, respectively.



Little Colorado River Basin Midmonth Streamflow Forecasts - March 16, 2014

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

LITTLE COLORADO RIVER BASIN	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
Little Colorado R ab Lyman Lake ³	MAR-JUN	0.3	0.43	0.8	13%	1.34	2.5	6
Blue Ridge Reservoir Inflow ³	MAR-MAY	0.42	1.21	2.1	16%	3.3	5.9	13.5
Lake Mary Reservoir Inflow ³	MAR-MAY	0.75	0.8	1	34%	1.56	2.7	2.9

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions


3) Median value used in place of average

Reservoir Storage		Current	Last Year	Average	Capacity
Midmonth March, 2014		(KAF)	(KAF)	(KAF)	(KAF)
LYMAN RESERVOIR		10.0	4.6	13.6	30.0
	Basin-wide Total	10.0	4.6	13.6	30.0
	# of reservoirs	1	1	1	1

Watershed Snowpack Analysis		# of Sites	% Median	Last Year % Median
March 16, 2014				
LITTLE COLORADO RIVER BASIN		10	6%	97%
CENTRAL MOGOLLON RIM		4	1%	101%

CHUSKA MOUNTAINS as of March 15, 2014

Snow survey measurements conducted by staff of the Navajo Nation Water Management Branch show the Chuska snowpack to be at 37% of median. Well below normal runoff is forecast for Wheatfields Creek, Captain Tom Wash, Bowl Canyon Creek, and Kinlichee Creek.



**Chuska Mountains
Midmonth Streamflow Forecasts - March 16, 2014**

Forecast Exceedance Probabilities for Risk Assessment Chance that actual volume will exceed forecast



CHUSKA MOUNTAINS	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
Captain Tom Wash nr Two Gray Hills	MAR-MAY	0	0.03	0.1	4%	0.23	0.58	2.6
Wheatfields Ck nr Wheatfields	MAR-MAY	0.02	0.18	0.38	18%	0.65	1.19	2.1
Bowl Canyon Ck ab Asaayi Lake	MAR-MAY	0.08	0.18	0.28	22%	0.4	0.61	1.3
Kinlichee Ck	MAR-MAY	0	0.02	0.07	5%	0.18	0.48	1.52

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
- 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
- 3) Median value used in place of average

Watershed Snowpack Analysis March 16, 2014	# of Sites	% Median	Last Year % Median
CHUSKA MOUNTAINS	5	37%	102%
DEFIANCE PLATEAU	2	7%	145%

NORTHWESTERN ARIZONA as of March 15, 2014

On the Colorado River, normal inflow to Lake Powell is forecast at 105% of the 30-year average for the forecast period April-July. At the Grand Canyon, measurements conducted by park rangers show the snowpack to be at 0% of median.



Northwestern Arizona Midmonth Streamflow Forecasts - March 16, 2014

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

NORTHWESTERN ARIZONA	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
Lake Powell Inflow ²	APR-JUL	5070	6460	7500	105%	8620	10400	7160

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
- 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
- 3) Median value used in place of average

Reservoir Storage Midmonth March, 2014	Current (KAF)	Last Year (KAF)	Average (KAF)	Capacity (KAF)
LAKE HAVASU	578.9	577.5	559.5	619.0
LAKE MOHAVE	1692.9	1661.7	1692.0	1810.0
LAKE MEAD	12239.0	13676.0	20543.0	26159.0
LAKE POWELL	9551.0	11769.0	16977.0	24322.0
Basin-wide Total	24061.8	27684.2	39771.5	52910.0
# of reservoirs	4	4	4	4

Watershed Snowpack Analysis March 16, 2014	# of Sites	% Median	Last Year % Median
NORTHWESTERN ARIZONA	1	0%	0%

Midmonth Basinwide Summary: March 16, 2014
(Averages/Medians based on 1981-2010 reference period)

Snowpack Summary for March 16, 2014

Map Num	SALT RIVER BASIN	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
5	BALDY	SNOTEL	9125'		0.2	7.9	3%	6.6	84%
7	BEAVER HEAD	SNOTEL	7990'	1	0.1	3.8	3%	0.2	5%
8	BEAVER HEAD	SC	8000'	0	0.0	1.4	0%	0.4	29%
12	BUCK SPRING	SC	7400'	0	0.0	0.9	0%	0.0	0%
16	CORONADO TRAIL	SNOTEL	8400'		0.0	0.0		0.0	
17	CORONADO TRAIL	SC	8350'	0	0.0	0.7	0%	0.0	0%
19	FORT APACHE	SC	9160'	10	2.7	8.0	34%	9.6	120%
24	HANNAGAN MEADOWS	SNOTEL	9020'	1	0.0	11.1	0%	6.7	60%
29	MAVERICK FORK	SNOTEL	9200'	1	0.6	9.1	7%	6.7	74%
34	NUTRIOSO	SC	8500'	0	0.0	0.4	0%	0.0	0%
35	NUTRIOSO	SNOTEL	8500'	0	0.2			0.0	
42	WILDCAT	SNOTEL	7850'	1	0.3	1.9	16%	0.0	0%
44	WORKMAN CREEK	SNOTEL	6900'	1	0.1	1.5	7%	1.8	120%
Basin Index							9%	69%	
# of sites							12	12	

Map Num	VERDE RIVER BASIN	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
2	BAKER BUTTE	SNOTEL	7300'	0	0.0	3.6	0%	2.6	72%
3	BAKER BUTTE NO. 2	SC	7700'	1	0.3	12.1	2%	11.9	98%
4	BAKER BUTTE SMT	SNOTEL	7700'	14	5.1			13.0	
6	BAR M	SNOTEL	6393'	0	0.0			0.0	
13	CHALENDER	SC	7100'	0	0.0	1.1	0%	0.6	55%
14	CHALENDER	SNOTEL	7100'	0	0.3			0.3	
20	FORT VALLEY	SC	7350'	0	0.0	1.0	0%	0.1	10%
21	FORT VALLEY	SNOTEL	7350'	0	0.1			0.1	
22	FRY	SNOTEL	7200'		0.0	3.7	0%	3.1	84%
25	HAPPY JACK	SNOTEL	7630'	1	0.3	4.9	6%	8.2	167%
26	HAPPY JACK	SC	7630'	0	0.0	3.0	0%	3.3	110%
30	MORMON MOUNTAIN	SNOTEL	7500'	1	0.2	4.6	4%	3.2	70%
31	MORMON MOUNTAIN SUMMIT #2	SC	8470'	8	2.4	11.6	21%	10.1	87%
32	MORMON MTN SUMMIT	SNOTEL	8500'	9	3.5			8.2	
33	NEWMAN PARK	SC	6750'	0	0.0	0.4	0%	0.2	50%
41	WHITE HORSE LAKE	SNOTEL	7180'	0	0.0	2.1	0%	0.0	0%
43	WILLIAMS SKI RUN	SC	7720'	6	2.1	8.4	25%	9.5	113%
Basin Index							9%	93%	
# of sites							12	12	

Map Num	SAN FRANCISCO PEAKS	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
37	SNOW BOWL #2	SC	11200'	29	5.6	17.8	31%	12.8	72%
38	SNOWSLIDE CANYON	SNOTEL	9730'	41	13.0	17.1	76%	16.1	94%
Basin Index							53%	83%	
# of sites							2	2	

Map Num	SAN FRANCISCO-UPPER GILA RIVER BASIN	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
8	BEAVER HEAD	SNOTEL	7990'	1	0.1	3.8	3%	0.2	5%
9	BEAVER HEAD	SC	8000'	0	0.0	1.4	0%	0.4	29%
16	CORONADO TRAIL	SNOTEL	8400'		0.0	0.0		0.0	
17	CORONADO TRAIL	SC	8350'	0	0.0	0.7	0%	0.0	0%
	FRISCO DIVIDE	SNOTEL	8000'	1	0.0	0.1	0%	0.0	0%
24	HANNAGAN MEADOWS	SNOTEL	9020'	1	0.0	11.1	0%	6.7	60%
	HUMMINGBIRD - AERIAL AND SNOW COURSE	SC	10550'						
	LOOKOUT MOUNTAIN	SNOTEL	8500'	0	0.1	0.0		0.0	
34	NUTRIOSO	SC	8500'	0	0.0	0.4	0%	0.0	0%
35	NUTRIOSO	SNOTEL	8500'	0	0.2			0.0	
	SIGNAL PEAK	SNOTEL	8360'	1	0.0	1.0	0%	0.0	0%
	SILVER CREEK DIVIDE	SNOTEL	9000'	7	2.6	8.5	31%	6.9	81%
	STATE LINE	SC	8000'	0	0.0	0.7	0%	0.0	0%
	WHITEWATER - AERIAL AND SNOW COURSE	SC	10750'						
Basin Index							10%	51%	
# of sites							11	11	

Map Num	LITTLE COLORADO RIVER BASIN	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
2	BAKER BUTTE	SNOTEL	7300'	0	0.0	3.6	0%	2.6	72%
3	BAKER BUTTE NO. 2	SC	7700'	1	0.3	12.1	2%	11.9	98%
4	BAKER BUTTE SMT	SNOTEL	7700'	14	5.1			13.0	
6	BALDY	SNOTEL	9125'		0.2	7.9	3%	6.6	84%
12	BUCK SPRING	SC	7400'	0	0.0	0.9	0%	0.0	0%
15	CHEESE SPRINGS	SC	8700'	0	0.0	5.7	0%	6.1	107%
19	FORT APACHE	SC	9160'	10	2.7	8.0	34%	9.6	120%
27	HEBER	SNOTEL	7640'	2	0.0	1.2	0%	3.0	250%
28	LAKE MARY	SC	6930'	0	0.0	0.6	0%	0.7	117%
29	MAVERICK FORK	SNOTEL	9200'	1	0.6	9.1	7%	6.7	74%
36	PROMONTORY	SNOTEL	7930'	2	0.0	11.4	0%	11.2	98%
Basin Index							6%		97%
# of sites							10		10


Map Num	CENTRAL MOGOLLON RIM	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
2	BAKER BUTTE	SNOTEL	7300'	0	0.0	3.6	0%	2.6	72%
3	BAKER BUTTE NO. 2	SC	7700'	1	0.3	12.1	2%	11.9	98%
4	BAKER BUTTE SMT	SNOTEL	7700'	14	5.1			13.0	
27	HEBER	SNOTEL	7640'	2	0.0	1.2	0%	3.0	250%
36	PROMONTORY	SNOTEL	7930'	2	0.0	11.4	0%	11.2	98%
Basin Index							1%		101%
# of sites							4		4

Map Num	CHUSKA MOUNTAINS	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
9	BEAVER SPRING	SC	9220'			9.2		8.4	91%
10	BEAVER SPRING	SNOTEL	9200'	7	2.7			9.0	
	BOWL CANYON	SC	8980'	12	3.3	9.1	36%	7.4	81%
	HIDDEN VALLEY	SC	8480'	1	0.2			7.9	
	MISSIONARY SPRING	SC	7940'	0	0.0	2.4	0%	1.4	58%
39	TSAILE CANYON #1	SC	8160'	2	1.1	6.4	17%	8.6	134%
40	TSAILE CANYON #3	SC	8920'	16	4.8	9.3	52%	11.0	118%
	WHISKEY CREEK	SC	9050'	13	4.1	9.2	45%	8.6	93%
	NAVAJO WHISKEY CK	SNOTEL	9050'	1	0.3			6.4	
Basin Index							37%		102%
# of sites							5		5

Map Num	DEFIANCE PLATEAU	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
1	ARBABS FOREST	SC	7680'	0	0.0	0.9	0%	1.4	156%
18	FLUTED ROCK	SC	7800'	1	0.2	2.0	10%	2.8	140%
Basin Index							7%		145%
# of sites							2		2

Map Num	NORTHWESTERN ARIZONA	Network	Elevation	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
11	BRIGHT ANGEL	SC	8400'			8.0		5.3	66%
23	GRAND CANYON	SC	7500'	0	0.0	0.3	0%	0.0	0%
Basin Index							0%		0%
# of sites							1		1

Arizona Snow Survey Data Sites



Legend

- ◆ SNOTEL (Snowpack Telemetry) Sites
- Snow Course Sites
- ◆ SNOTEL and Snow Course Sites
- Basin Boundaries

